




KANAL İŞLEME

ÜRÜN KATALOĞU

*PARTING AND GROOVING
PRODUCT CATALOGUE*



ÜRÜN GÖRSELİ	CB	ISO		P			M			K			S		U				UÇ ÖLÇÜSÜ							
		UÇ KODU INSERT CODE	ap (mm)	f _n (mm/dev)	Vc															b	r	l	d	t	α	
					300 (180-420)	250 (140-360)	200 (110-290)	250 (220-280)	215 (190-240)	180 (160-200)	250 (120-380)	230 (120-340)	200 (100-300)	50 (35-65)	40 (20-80)	200 (120-280)	200 (120-280)	190 (110-270)	190 (110-270)							
	C	MGMN 150	0,3	0,04-0,08												•	•			1,50	0,15	16,00	1,20	3,50	-	
		MGMN 200	0,4	0,05-0,10													•	•			2,00	0,20	16,00	1,60	3,50	-
		MGMN 250	0,5	0,05-0,10													•	•			2,50	0,20	18,50	2,00	3,85	-
		MGMN 300	0,6	0,05-0,10													•	•			3,00	0,30	21,00	2,35	4,83	-
		MGMN 400	0,8	0,06-0,12													•	•			4,00	0,30	21,00	3,30	4,83	-
		MGMN 500	1,0	0,06-0,12													•	•			5,00	0,50	26,00	4,10	5,82	-
		MGMN 600	1,2	0,06-0,15													•	•			6,00	0,80	26,00	5,00	5,81	-
	M	MGMN 200	0,4	0,05-0,10									□			•	•	○		2,00	0,20	16,00	1,60	3,50	-	
		MGMN 250	0,5	0,05-0,10										□			•	•	○		2,50	0,20	18,50	2,00	3,85	-
		MGMN 300-02	0,6	0,05-0,10													•	•	○		3,00	0,20	21,00	2,35	4,83	-
		MGMN 300	0,6	0,05-0,10													•	•	○		3,00	0,40	21,00	2,35	4,83	-
		MGMN 350-03	0,7	0,06-0,12													•	•	○		3,50	0,30	21,00	2,90	4,83	-
		MGMN 400-02	0,8	0,06-0,12													•	•			4,00	0,20	21,00	3,30	4,83	-
		MGMN 400	0,8	0,06-0,12													•	•			4,00	0,40	21,00	3,30	4,83	-
		MGMN 500-04	1,0	0,06-0,12													•	•			5,00	0,40	26,00	4,10	5,82	-
		MGMN 500	1,0	0,06-0,12													•	•			5,00	0,80	26,00	4,10	5,82	-
		MGMN 600	1,2	0,06-0,15													•	•			6,00	0,80	26,00	5,00	5,81	-
	L	MGMN 200-02	0,4	0,05-0,10												•	•			2,00	0,20	16,00	1,60	3,50	-	
		MGMN 200-04	0,4	0,05-0,10													•	•			2,00	0,40	20,00	1,70	3,50	-
		MGMN 250-02	0,5	0,05-0,10													•	•			2,50	0,20	18,50	2,00	3,85	-
		MGMN 300-02	0,6	0,05-0,10													•	•			3,00	0,20	21,00	2,35	4,83	-
		MGMN 300-04	0,6	0,05-0,10													•	•			3,00	0,40	20,00	2,30	4,83	-
		MGMN 400-02	0,8	0,06-0,12													•	•			4,00	0,20	21,00	3,30	4,83	-
		MGMN 400-04	0,8	0,06-0,12													•	•			4,00	0,40	20,00	3,30	4,83	-
		MGMN 500-03	1,0	0,06-0,12													•	•			5,00	0,30	26,00	4,10	5,82	-
	R	MGMN 500-04	1,0	0,06-0,12												•	•			5,00	0,40	26,00	4,10	5,82	-	
		MGMN 150-015	0,3	0,04-0,08											○		•	•			1,50	0,15	16,00	1,20	3,50	-
		MGMN 200-02	0,4	0,05-0,10											○	○	•	•			2,00	0,20	16,00	1,60	3,50	-
		MGMN 200-04	0,4	0,05-0,10											○	○	•	•			2,00	0,40	20,00	1,70	3,50	-
		MGMN 250-02	0,5	0,05-0,10											○	○	•	•			2,50	0,20	18,50	2,00	3,85	-
		MGMN 300-02	0,6	0,05-0,10											○	○	•	•			3,00	0,20	21,00	2,35	4,83	-
		MGMN 300-04	0,6	0,05-0,10											○	○	•	•			3,00	0,40	20,00	2,30	4,83	-
		MGMN 400-02	0,8	0,06-0,12											○	○	•	•			4,00	0,20	21,00	3,30	4,83	-
		MGMN 400-04	0,8	0,06-0,12											○	○	•	•			4,00	0,40	20,00	3,30	4,83	-
		MGMN 500-04	1,0	0,06-0,12											○	○	•	•			5,00	0,40	26,00	4,10	5,82	-
	T	MGMN 500-08	1,0	0,06-0,12										○		•	•			5,00	0,40	26,00	4,10	5,82	-	
		MGMN 600-04	1,2	0,06-0,15											○		•	•			6,00	0,40	26,00	5,00	5,81	-
		MGMN 600-08	1,2	0,06-0,15											○		•	•			6,00	0,80	26,00	5,00	5,81	-
		MGMN 150-015	0,3	0,04-0,08			○										•	•			1,50	0,15	16,00	1,20	3,50	-
		MGMN 200	0,4	0,05-0,10			○										•	•			2,00	0,20	16,00	1,60	3,50	-
		MGMN 300	0,6	0,05-0,10			○										•	•			3,00	0,40	21,00	2,35	4,83	-
		MGMN 400	0,8	0,06-0,12			○										•	•			4,00	0,40	21,00	3,30	4,83	-
		MGMN 500-04	1,0	0,06-0,12			○										•	•			5,00	0,40	26,00	4,10	5,82	-
	PS	MGMN 500	1,0	0,06-0,12			○									•	•			5,00	0,80	26,00	4,10	5,82	-	
		MGMN 600	1,2	0,06-0,15			○										•	•			6,00	0,80	26,00	5,00	5,81	-
		MGMR 300-6D	0,6	0,05-0,10													□	□			3,00	0,20	21,00	2,35	4,83	6,00
		MGMR 300-8D	0,6	0,05-0,10													□	□			3,00	0,20	21,00	2,35	4,83	8,00
		MGMR 300-15D	0,6	0,05-0,10													□	□			3,00	0,20	21,00	2,35	4,83	15,00
		MGMR 400-4D	0,8	0,06-0,12													□	□			4,00	0,30	21,00	3,30	4,83	4,00
		MGMR 500-4D	1,0	0,06-0,12													□	□			5,00	0,30	26,00	4,10	5,82	4,00
		MGML 300-6D	0,6	0,05-0,10													□	□			3,00	0,20	21,00	2,35	4,83	6,00
	MGML 300-8D	0,6	0,05-0,10													□	□			3,00	0,20	21,00	2,35	4,83	8,00	
	MGML 300-15D	0,6	0,05-0,10													□	□			3,00	0,20	21,00	2,35	4,83	15,00	

• Stok ürün | Stock item

○ Stok dışı ürün | Non stock item

□ Özel ürün | Special order

MGM... / MRM...

ÜRÜN GÖRSELİ	CB	ISO		P			M			K			S		U				uç ölçüsü					
			Vc	300 (180-420)	250 (140-360)	200 (110-290)	250 (220-280)	215 (190-240)	180 (160-200)	250 (120-380)	230 (120-340)	200 (100-300)	50 (35-65)	40 (20-80)	200 (120-280)	200 (120-280)	190 (110-270)	190 (110-270)						
	UÇ KODU INSERT CODE	ap (mm)	f _n (mm/dev)	TC110	TC1120	TC1130	TC2310	TC2320	TC2330	TC2210	TC2220	TC2230	TP2410	TP2420	TC0630	TC1630	TP2630	TP4630	b	r	l	d	t	a
	MGMR 200-6D	0,4	0,05-0,10												□	□			2,00	0,20	16,00	1,60	3,5	6,00
	MGMR 300-6D	0,6	0,05-0,10												□	□			3,00	0,20	21,00	2,35	4,83	6,00
	MGMR 300-8D	0,6	0,05-0,10												□	□			3,00	0,20	21,00	2,35	4,83	8,00
	MGMR 300-15D	0,6	0,05-0,10												□	□			3,00	0,20	21,00	2,35	4,83	15,00
	MGMR 400-4D	0,8	0,06-0,12												□	□			4,00	0,30	21,00	3,30	4,83	4,00
	MGMR 500-4D	1,0	0,06-0,12												□	□			5,00	0,30	26,00	4,10	5,82	4,00
	MGML 200-6D	0,4	0,05-0,10												□	□			2,00	0,20	16,00	1,60	3,5	6,00
	MGML 300-6D	0,6	0,05-0,10												□	□			3,00	0,20	21,00	2,35	4,83	6,00
	MGML 300-8D	0,6	0,05-0,10												□	□			3,00	0,20	21,00	2,35	4,83	8,00
	MGML 300-15D	0,6	0,05-0,10												□	□			3,00	0,20	21,00	2,35	4,83	15,00
	MRMN 200	0,4	0,05-0,10												●	●			2,00	1,00	16,00	1,50	3,50	-
	MRMN 300	0,6	0,05-0,10												●	●			3,00	1,50	21,00	2,35	4,83	-
	MRMN 400	0,8	0,06-0,12												●	●			4,00	2,00	21,00	3,30	4,83	-
	MRMN 500	1,0	0,06-0,12												●	●			5,00	2,50	26,00	4,10	5,82	-
	MRMN 600	1,2	0,06-0,15												●	●			6,00	3,00	26,00	5,00	5,81	-
	MRMN 800	1,4	0,06-0,15												●	●			8,00	4,00	31,00	6,00	6,52	-


● Stok ürün | Stock item

○ Stok dışı ürün | Non stock item

□ Özel ürün | Special order




MGMN MGN MGR MRMN



TAKIM KODU ORDER CODE	YÜKSEKLİK H	GENİŞLİK W	TMAX	UÇ ÖLÇÜSÜ MM	TAKIM BOYU L	KESİCİ UÇ INSERT TYPE
GEKR/L 1616-T14-MG-1,5	16	16	14	1,5	100	MGM... 150
GEKR/L 2020-T14-MG-1,5	20	20	14	1,5	125	MGM... 150
GEKR/L 2525-T14-MG-1,5	25	25	14	1,5	150	MGM... 150
GEKR/L 1616-T14-MG-2	16	16	14	2	100	MGM... 200
GEKR/L 2020-T14-MG-2	20	20	14	2	125	MGM... 200
GEKR/L 2525-T14-MG-2	25	25	14	2	150	MGM... 200
GEKR/L 1616-T16-MG-2,5	16	16	16	2,5	100	MGM... 250
GEKR/L 2020-T16-MG-2,5	20	20	16	2,5	125	MGM... 250
GEKR/L 2525-T16-MG-2,5	25	25	16	2,5	150	MGM... 250
GEKR/L 1616-T18-MG-3	16	16	18	3	100	MGM... 300
GEKR/L 2020-T18-MG-3	20	20	18	3	125	MGM... 300
GEKR/L 2525-T18-MG-3	25	25	18	3	150	MGM... 300
GEKR/L 3232-T18-MG-3	32	32	18	3	170	MGM... 300
GEKR/L 2020-T18-MG-4	20	20	18	4	125	MGM... 400
GEKR/L 2525-T18-MG-4	25	25	18	4	150	MGM... 400
GEKR/L 3232-T18-MG-4	32	32	18	4	170	MGM... 400

TAKIM KODU ORDER CODE	YÜKSEKLİK H	GENİŞLİK W	TMAX	UÇ ÖLÇÜSÜ MM	TAKIM BOYU L	KESİCİ UÇ INSERT TYPE
GEKR/L 2020-T23-MG-5	20	20	23	5	125	MGM... 500
GEKR/L 2525-T23-MG-5	25	25	23	5	150	MGM... 500
GEKR/L 3232-T23-MG-5	32	32	23	5	170	MGM... 500
GEKR/L 2020-T23-MG-6	20	20	23	6	125	MGM... 600
GEKR/L 2525-T23-MG-6	25	25	23	6	150	MGM... 600
GEKR/L 3232-T23-MG-6	32	32	23	6	170	MGM... 600
GEKR/L 2525-T28-MG-8	25	25	28	8	150	MGM... 800
GEKR/L 3232-T28-MG-8	32	32	28	8	170	MGM... 800

YEDEK PARÇALAR SPARE PARTS	VİDA SCREW	ANAHTAR SCREW DRIVER
GEKR/L ... MG 1,5	ELTX0514	ETW20L
GEKR/L ... MG 2-2,5	EMHA0512	EHW40L
GEKR/L ... MG 3-8	EBHA0616	EHW50L




MGMN MGGN MRMN MRGN

TAKIM KODU ORDER CODE	MİN İŞLEME ÇAPI	TAKIM ÇAPI Ø	TMAX	UÇ ÖLÇÜSÜ MM	KESİCİ UÇ INSERT TYPE
GIKR/L 2016-T3,5-MG-1,5	20	16	3,5	1,5	MGM...150
GIKR/L 2520-T3,5-MG-1,5	25	20	3,5	1,5	MGM...150
GIKR/L 2925-T3,5-MG-1,5	29	25	3,5	1,5	MGM...150
GIKR/L 2116-T4,5-MG-2	21	16	4,5	2	MGM...200
GIKR/L 2520-T4,5-MG-2	25	20	4,5	2	MGM...200
GIKR/L 3025-T4,5-MG-2	30	25	4,5	2	MGM...200
GIKR/L 2116-T4,5-MG-2,5	21	16	4,5	2,5	MGM...250
GIKR/L 2520-T4,5-MG-2,5	25	20	4,5	2,5	MGM...250
GIKR/L 3025-T4,5-MG-2,5	30	25	4,5	2,5	MGM...250
GIKR/L 2520-T5-MG-3	25	20	5	3	MGM...300
GIKR/L 3125-T5-MG-3	31	25	5	3	MGM...300
GIKR/L 3732-T5-MG-3	37	32	5	3	MGM...300
GIKR/L 2520-T6-MG-4	25	20	6	4	MGM...400
GIKR/L 3125-T6-MG-4	31	25	6	4	MGM...400
GIKR/L 3732-T6-MG-4	37	32	6	4	MGM...400
GIKR/L 3125-T8-MG-5	31	25	8	5	MGM...500
GIKR/L 3732-T8-MG-5	37	32	8	5	MGM...500
GIKR/L 3125-T8-MG-6	31	25	8	6	MGM...600
GIKR/L 3732-T8-MG-6	37	32	8	6	MGM...600
GIKR/L 3125-T10-MG-8	31	25	10	8	MGM...800
GIKR/L 3732-T10-MG-8	37	32	10	8	MGM...800

YEDEK PARÇALAR SPARE PARTS	VİDA SCREW	ANAHTAR SCREW DRIVER
GIKR/L 2016	EMHB0310	EHW25L
GIKR/L 2520-3732	EMHA0512	EHW40L
GIKR/L 3125-3732	EBHA0620	EHW50L




MGMN




TAKIM KODU ORDER CODE	YÜKSEKLİK H	GENİŞLİK W	TMAX	UÇ ÖLÇÜSÜ MM	DMIN	DMAX	KESİCİ UÇ INSERT TYPE
GFKR/L 1616-T10-MG-3-24/35	16	16	10	3	24	35	MGM...300
GFKR/L 2020-T10-MG-3-29/40	20	20	10	3	29	40	MGM...300
GFKR/L 2525-T10-MG-3-34/50	25	25	10	3	34	50	MGM...300
GFKR/L 1616-T10-MG-3-44/70	16	16	10	3	44	70	MGM...300
GFKR/L 2020-T10-MG-3-64/99	20	20	10	3	64	99	MGM...300
GFKR/L 2525-T15-MG-4-44/60	25	25	15	4	44	60	MGM...400
GFKR/L 1616-T15-MG-4-60/120	16	16	15	4	60	120	MGM...400
GFKR/L 2020-T15-MG-4-112/200	20	20	15	4	112	200	MGM...400

YEDEK PARÇALAR SPARE PARTS	VİDA SCREW	ANAHTAR SCREW DRIVER
GFKR/L	EBHA0620	EHW50L

MGMN UÇ İÇİN KESME LAMASI



SİPARİŞ KODU ORDER CODE	SİPARİŞ KODU ORDER CODE	ÖLÇÜLER (MM) DIMENSIONS (MM)					KULLANILAN UÇ INSERT WSP
Code Best.-Nr.	Best.-Nr.	H	h	A	L	D max	
EMB-32-300	32-3	32	25	2.45	150	36	MGMN 300
EMB-32-400	32-4	32	25	3.45	150	36	MGMN 400



SİPARİŞ KODU ORDER CODE	ÜRÜN KODU PRODUCT CODE	ÖLÇÜLER (MM) DIMENSIONS (MM)					
		H	H1	H2	L1	L2	L3
ETB01	20-26	26	21.4	20	87	19	33
ETB02	25-26	26	24.4	25	110	20	34
ETB03	20-32	32	25	20	110	19	35
ETB04	25-32	32	25	25	110	20	36
ETB05	32-32	32	25	32	110	28	44

TD...

ÜRÜN GÖRSELİ	CB	ISO		P			M			K			S		U				uç Ölçüsü					
			Vc	300 (180-420)	250 (140-360)	200 (110-290)	250 (220-280)	215 (190-240)	180 (160-200)	250 (120-380)	230 (120-340)	200 (100-300)	50 (35-65)	40 (20-80)	200 (120-280)	200 (120-280)	190 (110-270)	190 (110-270)						
	uç kodu insert code	ap (mm)	f _n (mm/dev)	TC110	TC1120	TC1130	TC2310	TC2320	TC2330	TC2210	TC2220	TC2230	TP2410	TP2420	TC0630	TC1630	TP2630	TP4630	b	r	l	d	α	
	TCD	TDC 2	2	0,05-0,18											●				2,00	0,20	19,00	1,70	-	
		TDC 2-6R/L	2	0,04-0,14												●				2,00	0,20	19,00	1,70	6
		TDC 2-8R/L	2	0,04-0,14												●				2,00	0,20	19,00	1,70	8
		TDC 2-15R/L	2	0,04-0,12												●				2,00	0,20	19,00	1,70	15
		TDC 3	3	0,07-0,25												●				3,00	0,20	19,00	2,40	-
		TDC 3-6R/L	3	0,06-0,18												●				3,00	0,20	19,00	2,40	6
		TDC 3-15R/L	3	0,06-0,16												●				3,00	0,20	19,00	2,40	15
		TDC 3.18	3	0,07-0,25												●				3,18	0,20	19,00	2,40	-
		TDC 4	4	0,08-0,30												●				4,00	0,30	19,00	3,00	-
		TDC 4-4R/L	4	0,06-0,24												●				4,00	0,30	19,00	3,00	4
		TDC 4-15R/L	4	0,06-0,22												●				4,00	0,30	19,00	3,00	15
		TDC 5	5	0,09-0,35												●				5,00	0,30	24,00	4,00	-
		TDC 5-4R/L	5	0,07-0,28												●				5,00	0,30	24,00	4,00	4
		TDC 6	6	0,12-0,40												●				6,00	0,30	24,00	5,00	-
TDC 8	8	0,14-0,43												●				8,00	0,40	29,00	6,00	-		
	TDJ	TDJ 1.4	0,4	0,05-0,10											●				1,40	0,16	15,00	1,00	-	
		TDJ 2	0,4	0,05-0,10												●				2,00	0,20	19,00	1,70	-
		TDJ 2-6R/L	0,5	0,05-0,10												●				2,00	0,20	19,00	1,70	6
		TDJ 2-8R/L	0,6	0,05-0,10												●				2,00	0,20	19,00	1,70	8
		TDJ 2-15R/L	0,8	0,06-0,12												●				2,00	0,20	19,00	1,70	15
		TDJ 3	1,0	0,06-0,12												●				3,00	0,20	19,00	2,40	-
		TDJ 3-6R/L	1,0	0,06-0,12												●				3,00	0,20	19,00	2,40	6
		TDJ 3-15R/L	0,4	0,05-0,10												●				3,00	0,20	19,00	2,40	15
		TDJ 3.18	0,5	0,05-0,10												●				3,18	0,20	19,00	2,40	-
		TDJ 4	0,6	0,05-0,10												●				4,00	0,30	19,00	3,00	-
		TDJ 4-4R/L	0,6	0,05-0,10												●				4,00	0,30	19,00	3,00	4
		TDJ 4-15R/L	0,8	0,06-0,12												●				4,00	0,30	19,00	3,00	15
		TDJ 5	0,8	0,06-0,12												●				5,00	0,30	24,00	4,00	-
		TDJ 5-4R/L	1,0	0,06-0,12												●				5,00	0,30	24,00	4,00	4
		TDJ 6	1,0	0,06-0,12												●				6,00	0,30	24,00	5,00	-
		TDT 2.65E-0.15	0,2-1,8	0,10-0,18												●				2,65	0,15	20,00	2,20	-
		TDT 3.00E-0.20	0,3-2,0	0,12-0,20												●				3,00	0,20	20,00	2,20	-

• Stok ürün | Stock item

○ Stok dışı ürün | Non stock item

□ Özel ürün | Special order

TD...


ÜRÜN GÖRSELİ	CB	ISO		P			M			K			S		U				UÇ ÖLÇÜSÜ				
			Vc	300 (180-420)	250 (140-360)	200 (110-290)	250 (220-280)	215 (190-240)	180 (160-200)	250 (120-380)	230 (120-340)	200 (100-300)	50 (35-65)	40 (20-80)	200 (120-280)	200 (120-280)	190 (110-270)	190 (110-270)					
	UÇ KODU INSERT CODE	ap (mm)	f _n (mm/dev)	TC110	TC120	TC130	TC230	TC230	TC230	TC220	TC220	TC220	TP2410	TP2420	TC0630	TC1630	TP2630	TP4630	b	r	l	d	α
	TDT 3.00E-0.40	0,5-2,0	0,15-0,22												•				3,00	0,40	20,00	2,20	
	TDT 3.15E-0.15	0,2-2,0	0,15-0,22												•				3,15	0,15	20,00	2,20	
	TDT 4.00E-0.40	0,5-2,4	0,18-0,30												•				4,00	0,40	20,00	3,00	
	TDT 4.00E-0.80	1,0-2,4	0,18-0,30												•				4,00	0,80	20,00	3,00	
	TDT 4.15E-0.15	0,5-2,4	0,18-0,30												•				4,15	0,15	20,00	3,00	
	TDT 4.78E-0.55	0,7-2,8	0,20-0,35												•				4,78	0,55	25,00	4,00	
	TDT 5.00E-0.40	0,5-2,3	0,20-0,35												•				5,00	0,40	25,00	4,00	
	TDT 5.00E-0.80	1,0-3,0	0,23-0,35												•				5,00	0,80	25,00	4,00	
	TDT 5.15E-0.15	0,2-3,0	0,23-0,35												•				5,15	0,15	25,00	4,00	
	TDT 6.00E-0.80	1,0-3,6	0,24-0,42												•				6,00	0,80	25,00	5,00	
	TDT 6.00E-1.20	1,3-3,6	0,24-0,42												•				6,00	1,20	25,00	5,00	
	TDT 8.00E-0.80	1,0-4,8	0,30-0,56												•				8,00	0,80	30,00	6,00	
	TDT 8.00E-1.20	1,3-4,8	0,30-0,56												•				8,00	1,20	30,00	6,00	
	TDT 10.00E-0.80	1,0-6,0	0,35-0,65												•				10,00	0,80	30,00	8,00	
	TDT 10.00E-1.20	1,0-6,0	0,40-0,80												•				10,00	1,60	30,00	8,00	
	TDT 10.00E-2.00	1,0-6,0	0,35-0,80												•				10,00	2,00	30,00	8,00	
	TDXU 2E-0.3	0,4-1,2	0,12-0,18												•				2	0,3	20	1,7	
	TDXU 3E-0.3	0,4-1,8	0,15-0,19												•				3	0,3	20	2,2	
	TDXU 4E-0.4	0,5-2,4	0,18-0,24												•				4	0,4	20	3,0	
	TDXU 4E-0.8	1,0-2,4	0,18-0,24												•				4	0,8	20	3,0	
	TDXU 5E-0.4	0,5-3,0	0,20-0,30												•				5	0,4	25	4,0	
	TDXU 5E-0.8	1,0-3,0	0,23-0,35												•				5	0,8	25	4,0	
	TDXU 6E-0.4	0,5-3,6	0,22-0,36												•				6	0,4	25	5,0	
	TDXU 6E-0.8	1,0-3,6	0,24-0,42												•				6	0,8	25	5,0	
	TDXU 8E-0.8	1,0-4,8	0,30-0,56												•				8	0,8	30	5,0	


• Stok ürün | Stock item

○ Stok dışı ürün | Non stock item

□ Özel ürün | Special order

SPB




ÜRÜN GÖRSELİ	CB	ISO			P			M			K			S		U				UÇ ÖLÇÜSÜ		
				Vc	300 (180-420)	250 (140-360)	200 (110-290)	250 (220-280)	215 (190-240)	180 (160-200)	250 (120-380)	230 (120-340)	200 (100-300)	50 (35-65)	40 (20-80)	200 (120-280)	200 (120-280)	190 (110-270)	190 (110-270)			
	UÇ KODU INSERT CODE	ap (mm)	fn (mm/dev)	TC1110	TC1120	TC1130	TC2310	TC2320	TC2330	TC2210	TC2220	TC2230	TP2410	TP2420	TC0630	TC1630	TP2630	TP4630	W	L	R	
	J	SB 160	-	0,02-0,15			●						●			●	●			1.6	7.8	0.16
		SB 180	-	0,02-0,15			●						●			●	●			1.8	9.3	0.16
		SB 200	-	0,02-0,15			●						●			●	●			2.2	9.3	0.2
		SB 300	-	0,03-0,20			●						●			●	●			3.1	11.3	0.2
		SB 400	-	0,08-0,30			●						●			●	●			4.1	11.3	0.25
		SB 500	-	0,10-0,40			●						●			●	●			5.1	11.4	0.3
		SB 600	-	0,12-0,50			●						●			●	●			6.4	11.4	0.35
		SB 800	-	0,12-0,50			●						●			●	●			8.0	14.06	0.4
		SB 900	-	0,12-0,50			●						●			●	●			9.6	14.06	0.45

• Stok ürün | Stock item

○ Stok dışı ürün | Non stock item

□ Özel ürün | Special order



TAKIM KODU ORDER CODE	YÜKSEKLİK H	GENİŞLİK W	BOYU L	UÇ ÖLÇÜSÜ MM	YÜKSEKLİK h	ANAHTAR KEY
ESB 226	26	1,6	110	2	21	ESW50L
ESB 232	32	1,6	150	2	25	
ESB 326	26	2,4	110	3	21	
ESB 332	32	2,4	150	3	25	
ESB 426	26	3,2	110	4	21	
ESB 432	32	3,2	150	4	25	
ESB 526	26	4	110	5	21	
ESB 532	32	4	150	5	25	
ESB 626	26	5,2	110	6	21	
ESB 632	32	5,2	150	6	25	
ESB 832	32	6,8	150	8	25	
ESB 932	32	8	150	9	25	