



MILLING

2026 | CATALOG

www.euroloy.com

EUROLOY
CARBIDE TOOLS



TABLE OF Contents

Milling Insert Coding	D3
Milling Grades	D5
Milling Inserts	D7
Milling Tools Summary	D11
Indexable Endmills	D15
Face Mills	D32
Helical Milling Cutters	D51
Screw Type Endmills	D54

S

P

K

R

12

1

Insert Shape

2

Relief Angle

3

Tolerance

4

Cutting Insert Type

5

Cutting Edge Length

1

Insert Shape

S P K R 12 03 ^{ED}08 S R - NN

A



C



D



H



L



O



R



S



T




V




W

2


Relief Angle

S P K R 12 03 ^{ED}08 S R - NN


A




B




C




D




E




F



G




N



P

3

Tolerance

S P K R 12 03 ^{ED}08 S R - NN


Class	d	m	t	(mm)			Tolerance d			Tolerance m		
				d	J,K,L,M,N	U	d	J,K,L,M,N	U	d	M,N	U
A	±0.025	±0.005	±0.025	6.35	±0.05	±0.08	±0.08	±0.08	±0.13			
C	±0.025	±0.013	±0.025	9.525	±0.05	±0.08	±0.08	±0.08	±0.13			
H	±0.013	±0.013	±0.025	12.7	±0.08	±0.13	±0.13	±0.13	±0.20			
E	±0.025	±0.025	±0.025	15.875	±0.10	±0.18	±0.15	±0.15	±0.27			
G	±0.025	±0.025	±0.13	19.05	±0.10	±0.18	±0.15	±0.15	±0.27			
J	±0.05~±0.15	±0.005	±0.025	25.4	±0.13	±0.25	±0.18	±0.18	±0.38			
K	±0.05~±0.15	±0.013	±0.025	Tolerance on D Insert Shape (Exceptional Case)								
L	±0.05~±0.15	±0.025	±0.025	d	Tolerance d		Tolerance m					
M	±0.05~±0.15	±0.08~±0.20	±0.13	6.35	±0.05		±0.11					
U	±0.08~±0.25	±0.13~±0.38	±0.13	9.525	±0.05		±0.11					
				12.7	±0.08		±0.15					
				15.875	±0.10		±0.18					
				19.05	±0.10		±0.18					

4


Cutting Insert Type

S P K R 12 03 ^{ED}08 S R - NN


A



B




C




F




G



H




J




M




N



Q




R



T



U



W




X

5

Cutting Edge Length

S P K R 12 03 ^{ED}08 S R - NN

Metric System



Inch System



The value to be used for cutting inserts with an inscribed circle smaller than 1/4" (1/32" to 1/4").

The value to be used for cutting inserts with an inscribed circle larger than 1/4" (1/8" to 1/4").

* In addition to round inserts, equilateral quadrilateral and rectangular cutting inserts provide a longer cutting edge.

Table According to the "Metric" and "Inch" Systems

	06	09	11	16	22	27	33	44
	03	05	06	09	12	15	19	25
	04	06	07	11	15	19	23	31
	03	05	06	09	12	16	19	25
	5/32"	7/32"	1/4"	3/8"	1/2"	5/8"	3/4"	1"
internal tangent diameter	5	7	2 (8)	3	4	5	6	8
Inch system								

03

6

Height of Cutting Edge

**ED
08**

7

Nose Radius (Nose R)

S

8

Edge Shape

R

9

Cutting Direction


NN

10

Chip Breaker for Milling

6 Height of Cutting Edge

S P K R 12 **03** ED 08 S R - NN




Symbol		Cutting edge thickness (t)	
Metric	Inch	mm	Inç
01	1 (2)	1.59	1/16
T0	1.125	1.79	9/128
T1	1.2	1.98	5/64
02	1.5 (3)	2.38	3/32
T2	1.75	2.78	7/64
03	2	3.18	1/8
T3	2.5	3.97	5/32
04	3	4.76	3/16
05	3.5	5.56	7/32
06	4	6.35	1/4
07	5	7.94	5/16
09	6	9.52	3/8
11	7	11.11	7/16
12	8 (16)	12.70	1/2

symbols for small size inserts


8 Edge Shape

S P K R 12 03 ED 08 **S** R - NN




9 Cutting Direction

S P K R 12 03 ED 08 S **R** - NN




7 Nose Radius

S P K R 12 03 **ED 08** S R - NN



r		Symbol		r		Symbol	
mm	Inch	mm	Inch	mm	Inch	mm	Inch
00	0	0.0		12	3	1.2	3/64
02		0.2		15		1.5	
04	1	0.4	1/64	16	4	1.6	4/64
05		0.5		24	6	2.4	6/64
08	2	0.8	2/64	32	8	3.2	8/64
10		1.0		40		4.0	



Parallel surface	Relief Angle
kr	α°
A - 45°	A - 3° F - 25°
D - 60°	B - 5° G - 30°
E - 75°	C - 7° N - 0°
F - 85°	D - 15° P - 11°
P - 90°	E - 20°
Z - Special	

10 Chip Breaker for Milling

S P K R 12 03 ED 08 S R - **NN**



MILLING GRADES

Grade	ISO	Coating	Stock availability	Features
TC0135	P35	CVD	△	CVD coated grade for high speed milling of steel. It combines good wear resistance and toughness to avoid chipping and edge breakage. Can be used in both wet and dry conditions.
TC0140	P40	CVD	△	Suitable for big cutting depth, medium to high speed milling of steel under unstable cutting conditions.
TC2215	K15	CVD	●	CVD coated grade for high speed milling of cast iron. Suitable for higher cutting parameters and ensures stable performance and reliability. Can be used from finish, semi-finish to rough milling.
TC2225	K25	CVD	○	Suitable for semi-finish milling and rough milling of gray cast iron at medium and high cutting speed. Recommended for dry cutting conditions to achieve longer tool life.
TP2125	P25 M25	PVD	●	First choice for steel milling. It is recommended to be used in rough to finish machining of steel under stable working conditions, good for both dry and wet machining with small cutting width, complex tool path and sticky materials.
TP2135	P35 M35	PVD	○	Supplementary grade to TP2125 with medium hardness substrate when high toughness is required.
TP2335	M35	PVD	○	Suitable for milling stainless steel and steel at medium and low speed under unstable machining conditions.
TP2345	M35 S45	PVD	○	Ultra-thick PVD coated grade is the first choice for stainless steel milling. It is suitable for rough milling of stainless steel under unstable machining conditions.
TP2225	K25	PVD	○	Suitable for semi-finish and rough milling of gray cast iron and nodular cast iron at medium and low cutting speed. Has excellent tool life under both dry and wet conditions.

● Stock item

○ Non Stock item

△ Special order

MILLING GRADES

Grade	ISO	Coating	Stock availability	Features
TP4445	S45	PVD	●	Carbide substrate has both toughness and red hardness characteristics and is suitable for rough milling of stainless steel under unstable machining conditions. Milling at low cutting speed can achieve longer tool life.
TP4405	H15	PVD	△	Produced-per-order grade, suitable for milling hardened steel. Can be used in rough and finish milling, meeting the needs of most conditions.
TP2620	P20 M20 K20 S15 H15	PVD	●	Universal grade with excellent wear resistance and stability. Suitable for milling of steel, stainless steel and cast iron. Also applicable for semi-finishing of superalloys and semi-finish milling of HRC45-55 hardened materials.
TP2630 TP4630	P30 M30 K40 S25 H25	PVD	●	Universal grade applicable for rough, semi-finish and light interrupted milling of steel and stainless steel.
TP2640	P45 M45 K45 S25 H25	PVD	△	Supplementary grade to TP2630 when high toughness is required.
TP2320 TP1320	P20 M20	PVD	●	Submicron grade with excellent wear resistance and toughness, first choice for continuous milling of stainless steel. Also works well for general machining of steel.
TN7501	N15	-	●	Uncoated grade combined with sharp cutting edge, used in aluminum alloy milling.

● Stock item








○ Non Stock item

△ Special order

Product Image		Vc m/min	KAPR°	ap (mm)	fz (mm/t)	Insert Size																Geometry												
Insert Code	No. of Edges	KAPR°	ap (mm)	fz (mm/t)	TP2125	TP2135	TC0135	TC0140	TP1320	TP2320	TP2335	TP2345	TC2215	TC2225	TP2225	TN7501	TP4445	TP4405	TP2620	TP3620	TP4620	TP2630	TP4630	TP2640	IC	A P M X	S	RE	W1	BS	d1	AN		
ADKT 1505PDTR-NN	2	90	0.5-14	0.18-0.32																					●	17.75	15	5.63	0.96				15°	
APKT 1003PDR-HM90	2	90	0.5-9.0	0.13-0.26																					●	11.40	9.8	3.50	0.80	6.76	1.4	2.8	11°	
APKT 1003PDER-IT	2	90	0.1-8.0	0.1-0.2	○	●										○										11.40	10.8	3.8	0.8	6.65	1.1	2.8	11°	
APKT 1705PER-DT	2	90	0.5-15	0.18-0.4	○	○						○		○											●	18.50	16.5	5.60	0.8	10.74	2.2	4.4	11°	
APKT 170516R-DT	2	90	0.5-15	0.18-0.4	○									○												18.50	16.8	5.60	1.6	10.74	1.7	4.4	11°	
APKT 1003PDFR-AL	2	90	0.5-9	0.13-0.26												●																		
APKT 1135PDFR-AL	2	90	0.5-10	0.13-0.22												○																		
APKT 160402-AL	2	90	0.5-15	0.08-0.20												●										16.4	4.76	0.2	7.525			4.4		
APKT 160404-AL	2	90	0.5-15	0.10-0.22												●										16.4	4.76	0.4	7.525			4.4		
APKT 1604PDFR-AL	2	90	0.5-15	0.15-0.32												○										16.4	4.76	0.8	7.525			4.4		
APKT 11T304-PM1	2	90	0.5-10	0.1-0.3																●						12.24	11.2	3.6	0.4	6.5	1.2	2.8	11°	
APKT 11T308-PM1	2	90	0.5-10	0.1-0.3																●						12.24	11.2	3.6	0.8	6.5	1.2	2.8	11°	
APKT 160408-PM1	2	90	0.5-15	0.1-0.3									●						●			●				17.87	16.4	5.76	0.8	9.32	1.4	4.4	11°	
APMT 1135PDER-H2	2	90	0.5-9	0.1-0.25									●									●				11.35	9	3.5	0.8	6.35	1.2	2.8	11°	
APMT 1604PDER-H2	2	90	0.5-10	0.15-0.3									●									●				17.11	14	4.76	0.8	7.525	1.4	4.5	11°	
APMT 1135PDER-M2	2	90	0																															











● Stock item ○ Non Stock item △ Special order

MILLING INSERTS

Product Image			Vc m/min			P		M		K		Z	S	H	U						Insert Size								Geometry				
	Insert Code	No. of Edges KAPR®	ap (mm)	fz (mm/l)	TP2125	TP2135	TC0135	TC0140	TP1320	TP2320	TP2335	TP2345	TC2215	TC2225	TP2225	TN7501	TP4445	TP4405	TP2620	TP3620	TP4620	TP2630	TP4630	TP2640	IC	A P M X	S	RE		W1	BS	d1	AN
					280(110-450)	225(100-350)	265(90-350)	240(100-380)	125(90-160)	125(90-160)	110(90-130)	90(70-120)	320(140-500)	270(140-400)	230(110-350)	400(200-750)	45(30-65)	55(35-80)															
	BLMP 0603R-M	4	0.1-1.0	0.10-0.80					●			●									●			9.0	1.0	3.37		6.22		3.15			
	BLMP 0904R-M	4	0.1-1.5	0.30-0.80									○							●	●		11.92	1.5	4.78		9.0		4.15				
	HNGX 0906ANSN-M	12	45	1.0-5.0	0.30-0.50				○									○		●			16.5	5.0	6.35				4.90				
	HNGX 0906ANSN-R	12	45	1.0-5.0	0.25-0.50				○									○		●			16.5	5.0	6.35				4.90				
	LNGX 03031EKR-GM	4	90	0.1-1.0	0.20-1.0				●											●			11.96	1.0	3.96	1.0	6.2		3.42				
	LNHU 090404-M4	4		0.3-8	0.1-0.2		●	●					○		●								9		7.5	0.4	4.5	1.7	3.5				
	LNHU 090408-M4	4		0.3-8	0.1-0.2																	9		7.5	0.8	4.5	1.4	3.5					
	LNHU 090404-R2	4		0.3-8	0.1-0.2	●	●	●					○									9		7.5	0.4	4.5	1.7	3.5					
	LNHU 090408-R2	4		0.3-8	0.12-0.22	●	●	●			●		●									9		7.5	0.8	4.5	1.4	3.5					
	LNHU 090412-R2	4		0.3-8	0.12-0.22	○						○	●									9		7.5	1.2	4.5	1.0	3.5					
	LNHU 090416-R2	4		0.3-8	0.12-0.22	○						○	○		○							9		7.5	1.6	4.5	0.65	3.5					
	LNHU 090420-R2	4		0.3-8	0.12-0.22	○						●	○									9		7.5	2.0	4.5	0.2	3.5					
	LNHU 130608-M4	4		1.0-11	0.1-0.2										●							13		10	0.8	6.8	2.5	4.5					
	LNHU 130608-R2	4		1.0-11	0.1-0.2	●	●	○			○	○	○							●	13		10	0.8	6.8	2.5	4.5						
	LNHU 130612-R2	4		1.0-11	0.1-0.2	●							○								13		10	1.2	6.8	2.1	4.5						
	LNHU 130616-R2	4		1.0-11	0.1-0.2	○	●						○	○							13		10	1.6	6.8	1.8	4.5						
	LNHU 130620-R2	4		1.0-11	0.1-0.2	○	●						●								13		10	2.0	6.8	1.4	4.5						
	LNHU 130624-R2	4		1.0-11	0.12-0.24	○	○						○								13		10	2.4	6.8	0.9	4.5						
	LNHU 130631-R2	4		1.0-11	0.12-0.24	○	●						○								13		10	3.1	6.8	0.3	4.5						
	LNHU 160708-R2	4		1.0-15	0.12-0.3	○	○						○								16		13	0.8	7.2	1.9	5.4						
	LNHU 160716-R2	4		1.0-15	0.12-0.3	○	○						○								16		13	1.6	7.2	1.5	5.4						
	LNMX 100608PNR-MM	4	90	0.5-9	0.05-0.25	Δ														●	●		10	9	6.5	0.8	6.5	1.4	3.5				
	LNMX 151008PNR-MM	4	90	0.05-14	0.05-0.30	Δ														●	●		15	14	10	0.8	10	2.7	4.5				
	LNMU 0303ZER-MJ	4	90	0.1-1.0	0.08-0.3				●									○		●			11.6	1.0	3.7	1.2	6	3.2	3.2				
	LPGT 010210ER-GM	2	90	0.05-0.5	0.2-0.6															●			6.25	0.5	2.18	1.0	4.19		2.1				
	ODMT 060508EN-M3	10	40	0.2-4.5	0.15-0.3	○	●						○	○									16		5.56	0.8		1.6	5.5	15°			
	ODMT 060512EN-M3	10	40	0.2-4.5	0.15-0.4	○	○						○	○		○							16		5.56	1.2		5.5	15°				
	ODMT 0605APFN-F2	10	40	0.2-4.5	0.15-0.3											Δ							16		5.56	0.8		5.5	15°				
	ONHU 060408-PM1	16	45	0.2-4.0	0.1-0.4								○					○		●			15.87	4.0	4.76	0.8		6.58	4.4				
	ONHU 08T508-PM1	16	45	0.2-5.5	0.1-0.4								●					●		○			20.2	5.5	5.77	0.8		8.39	5.3				
	PNMU 0905XNER-GM	10	66	0.5-5	0.1-0.3				○											○			14.6	6.4	5.56	0.8		2	4.7				

		Vc m/min			P 280(110-450) TP216S TC0135 TC0140	M 125(90-160) TP2320 TP2335 TP2345	K 320(140-500) TC2215 TC2225 TN7501	N 270(140-400) TP2225 TP4445 TP4405	H 45(30-65) 55(35-80)	U TP2620 TP3620 TP4620 TP2630 TP4630 TP2640		Insert Size									Geometry
Product Image	Insert Code	No. of Edges	KAPR°	ap (mm)	fz (mm/t)							IC	A P M X	S	RE	W1	BS	d1	AN		
RCE 8											●	8		2	4			3			
RCE 10											●	10		2.5	5			4			
RCE 12											●	12.7		2.5	6			5			
RCE 16											●	16		3	8			5			
RCE 20											●	20		3	10			5			
RCE 25											●	25.40		4	12.5			6			
RCE 30											●	30		5	15			8			
RCE 32											●	32		5	16			8			
RDkW 1003MO				0.5-2.5	0.18-0.6						●	10		3.18				4.4	15°		
RDkW 10T3MO				0.5-2.5	0.18-0.7						●	10		3.97				4.4	15°		
RDkW 1204MO				0.5-3.0	0.25-0.7						●	12		4.76				4.4	15°		
RDkW 1604MO				0.5-4.0	0.25-1.0						●	16		6.35				5.5	15°		
RDMT 1204MO-XR				0.5-3.0	0.25-0.75						●	12		4.76				4.4	15°		
RDMT 1605MO-XR				0.5-3.0	0.25-0.75						○	16		5.76				5.5	15°		
RPHX 10T3M8-M3				0.2-5.0	0.04-0.24		○		○			10		3.97				3.4	11°		
RPHX 1204M4E-M3				0.2-6.0	0.10-0.36		○		○			12		4.76				4.4	11°		
RPHX 1605M8EN-M3				0.2-8.0	0.10-0.36		○		○			16		5.56				5.5	11°		
RPHX 10T3M4-R6				0.2-5.0	0.10-0.24		○		○			10		3.97				3.4	11°		
RPHX 1204M6E-R6				0.2-6.0	0.10-0.40		○		○			12		4.76				4.4	11°		
RPHX 1605M6E-R6				0.2-8.0	0.10-0.40		○		○			16		5.56				5.5	11°		
SDMT 09T312-DM		4	90	0.2-1.8	0.4-1.2						●	9.525		3.97	1.2			4	15°		
SDMT 120412-DM		4	90	0.5-2.0	0.4-1.4						●	12.7		4.76	1.2			4.4	15°		
SDMT 09O408-M3		4	90	0.2-1.5	0.3-1.5	○ ● ●			●		○	9.525		4.76	0.8		1.3	3.9	15°		
SDMT 120508-M3		4	90	0.5-2.5	0.3-2.0	● ○		○	●			12.7		5.56	0.8		2.2	4.4	15°		
SDMT 120512-M3		4	90	0.5-2.5	0.3-2.0	●					●	12.7		5.56	1.2		2.2	4.4	15°		
SDMW 09O408-HR		4	90	0.2-6.0	0.1-2.0			●				9.506		4.76	0.8		1.6	3.9	15°		
SDMW 120508-HR		4	90	0.5-9.0	0.3-3.0	●						12.7		5.56	0.8		2.5	4.4	15°		
SEHT 1204AFTN-AL		4	45	0.5-5.5	0.05-0.20				○			12.7		4.76	0.8						

MILLING INSERTS

Product Image	Insert Code	No. of Edges KAPR°	Vc m/min	ap (mm)	fz (mm/t)	Insert Size																Geometry																						
						P				M				K				N					S				H				U													
						TP2125	TP2135	TC0135	TC0140	TP1320	TP2320	TP2335	TP2345	TC2215	TC2225	TP2225	TN7501	TP4445	TP4405	TP2620	TP3620		TP4620	TP2630	TP4630	TP2640	IC	A P M X	S	RE	W1	BS	d1	AN										
	SPMT 120408-PM1	4	90	0.5-9.0	0.13-0.29						●										●												12.7	11.5	4.76	0.8					5.58	11°		
	TPKN 1603PDTR-NN	3	90	0.5-12	0.14-0.25																●													14.52	13	3.18	1.2			1.85		11°		
	TPKN 2204PDTR-NN	3	90	0.5-18	0.15-0.27																●													19.92	18	4.76	1.2			1.95		11°		
	VCKT 220530N-AL	2	90	1-15																	●													15.6	15	5.56	3.0	12.7		5.6	7°			
	WNGX 060312XNN-MM	6	14	0.5-1.0	0.20-1.2																													6.35	1	3.18	1.2			2.86				
	WNGX 09T316XNN-MM	6	14	0.7-1.50	1.2-2.0																													9.525	1.5	3.98	1.6			3.6				
	WNMU 080608EN-GM	6	0	0.8-7.5	0.1-0.3							●																						14	8	6.65	0.8			1.3	6.2			
	WNMU 080608EN-GH	6	0	0.8-8	0.1-0.4																													14	8	6.65	0.8			1.3	6.2			
	XEKT 19M504FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	0.4	11.3	1.4	4.4				
	XEKT 19M508FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	0.8	11.3	1.0	4.4				
	XEKT 19M512FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	1.2	11.3	0.63	4.4				
	XEKT 19M516FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	1.6	11.3	0.32	4.4				
	XEKT 19M520FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	2.0	11.3	0.83	4.4				
	XEKT 19M530FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	3.0	11.3	0.67	4.4				
	XEKT 19M532FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	3.2	11.3	0.48	4.4				
	XEKT 19M540FR-MA	2	90	9-16.9	0.24-0.40																●														17	5	4.0	11.3	0.53	4.4				
	XNMU 0705ANN-M4	14	51	0.6-3.6	0.1-0.2	●	●		●												●	○														15.09	5	0.8		1.1	4.07			
	XNMU 0705ANN-R6	14	51	0.6-3.6	0.11-0.45	○	●														●	○														15.09	5	0.8		1.1	4.07			
	XNMU 0906ANN-R6	14	51	0.8-5.0	0.2-0.65																●	●						○								19.86	5.87	0.8		1.4	5.50			
	XNGU 0705ANN-M3	14	51	0.6-3.6	0.1-0.38	○	●														○															15.09	5	0.8		1.1	4.07			
	XNGU 0906ANN-M4	14	51	0.6-5.0	0.22-0.6		●														○	○						○								19.86	5.87	0.8		1.4	5.05			

● Stock item

○ Non Stock item

△ Special order



MILLING TOOL CODING SYSTEM

1	2	3	4	5	6	7	8
M	S	G	032	03	-	AP	16
Milling	Type	Insert Model	Tool Dia.	Number of Pockets	Insert Code	Insert Dimensions	S: Full size T: Metric
	C: Milling Head	G: Category					
	S: Milling Tools						
	T: Screw Tools						

MILLING TOOLS SUMMARY


Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
INDEXABLE ENDMILLS		MSG...	90°	Ø12~40 mm	APKT 10...		D15
		MSZ...	90°	Ø16~32 mm	APKT 11T3...		D18
		MSZ...	90°	Ø25~33 mm	APKT 16...		D19
		MST...	90°	Ø20~32 mm	3PKT 10...		D19
		MST...	-	Ø16~33 mm	BLMP 06...		D20
		MSW...	-	Ø 8~32 mm	RCE...		D20
		MSY...	90°	Ø16~33 mm	LNGX 03...		D21
		MSK...	90°	Ø16~40 mm	LNMX 10...		D22
		MSG...	90°	Ø35~50 mm	TPKN 16...		D22
		MSG...	-	Ø16~40 mm	RD...0803 RD...1003 RD...10T3 RD...1204		D23
		MSG...	45°~60°	Ø15~40 mm	TCMT 11... TCMT 16...		D24
		MSS...	90°	Ø16~25 mm	R390 11...		D25
		MSK...	14°	Ø25~32 mm	WNGX 09T3...		D24
		MSE...	90°	Ø25~40 mm	APKT 17...		D25
		MST...	90°	Ø16~26 mm	SNKT 06...		D26
		MST...	90°	Ø25~32 mm	6NGU 06...		D26
		MST...	90°	Ø32 mm	3PKT 15...		D27
		MSY...	90°	Ø10~16 mm	LPGT 0102...		D27
		MSZ...	90°	Ø22~42 mm	SDMT 09...		D28
		MSE...	90°	Ø40 mm	LNHU 13...		D28
		MSE...	90°	Ø20~33 mm	LNHU 09...		D29

Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
INDEXABLE ENDMILLS		MSE...	45°	Ø40 mm	XNMU 07...		D29
		MSE...	90°	Ø25-32 mm	SDMT 09...		D30
		MSE...	15°	Ø25-26 mm	SDMT 09...		D30
		MSE...	90°	Ø32 mm	SDMT 12...		D30
		MSE...	90°	Ø15-22 mm	RPHX 10T...		D31
		MSE...	90°	Ø32 mm	RPHX 12...		D31
		MSK...	90°	Ø20-40 mm	XEKT 19...		D31
FACE MILLS		MCG...	90°	Ø40-100 mm	APKT 10...		D32
		MCY...	90°	Ø40-52 mm	LNGX 03...		D32
		MCT...	90°	Ø40-63 mm	BLMP 06...		D33
		MCG...	90°	Ø40-80 mm	APKT 11... APKT 16...		D33
		MCK...	90°	Ø40-50 mm	LNMX 1006...		D34
		MCK...	90°	Ø50-160 mm	LNMX 1510...		D34
		MCU...	90°	Ø40-63 mm	LNMU 03...		D34
		MCG...	90°	Ø40-160 mm	RD_1003... RD_10T3... RD_12T3... RD_1604...		D35
		MCK...	45°	Ø50-160 mm	SNMX 1205...		D36
		MCK...	88°	Ø50-250 mm	SNMX 1206... SNMX1205...		D36
		MCG...	90°	Ø50-100 mm	TPKN 16...		D37
		MCG...	90°	Ø63-250 mm	TPKN 22...		D37
		MCY...	90°	Ø50-250 mm	WNMU 0806...		D38
		MCK...	14°	Ø40-66 mm	WNGX 09T3...		D37
		MCT...	90°	Ø50-100 mm	3PKT 15...		D39

Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
FACE MILLS		MCT...	90°	Ø40-63 mm	3PKT 10...		D39
		MCT...	90°	Ø40-63 mm	6NGU 06...		D39
		MCT...	90°	Ø50-125 mm	6NGU 09...		D39
		MCS...	90°	Ø40-63 mm	R390 11...		D40
		MCZ...	90°	Ø40-100 mm	SDMT 09...		D40
		MCT...	90°	Ø40-63 mm	BLMP 09...		D41
		MCW...	75°	Ø50-63 mm	SPMT 12...		D41
		MCG...	75°	Ø63-200 mm	SPKN 12...		D42
		MCZ...	45°	Ø50-160 mm	ONHU 08...		D42
		MCE...	40°	Ø50-160 mm	ODMT 06...		D43
		MCE...	90°	Ø50-100 mm	APKT 17...		D43
		MCE...	45°	Ø40-200 mm	XNMU 07...		D44
		MCE...	45°	Ø63-315 mm	XNMU 09...		D44
		MCE...	90°	Ø40-80 mm	LNHU 09...		D45
FACE MILLS		MCE...	90°	Ø63-160 mm	LNHU 16...		D45
		MCE...	90°	Ø40-250 mm	LNHU 13...		D46
		MCE...	15°	Ø40-50 mm	SDMT 09...		D47
		MCE...	90°	Ø52-125 mm	SDMT 12...		D47
		MCE...	90°	Ø30-40 mm	RPHX 10T...		D48
		MCE...	90°	Ø40-80 mm	RPHX 12...		D48
		MCE...	90°	Ø63-100 mm	RPHX 16...		D49
		MCE...	45°	Ø63-160 mm	HNGX 09...		D49

Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
		MCK...	90°	Ø40-125 mm	XEKT 19...		D50
		MCZ...	45°	Ø63-125 mm	ONHU 06...		D50
HELICAL MILLING CUTTERS		MCE...	90°	Ø40-50 mm	LNHU 09...		D51
		MCE...	90°	Ø25-40 mm	LNHU 09...		D51
		MTE...	90°	Ø25-32 mm	LNHU 09...		D51
		MCE...	90°	Ø40-80 mm	LNHU 13...		D52
		MSE...	90°	Ø40 mm	LNHU 13...		D52
		MSG...	90°	Ø40-80 mm	APKT 10...		D52
		MTT...	90°	Ø20-42 mm	BLMP 06...		D54
		MTY...	90°	Ø20-42 mm	LNGX 03...		D54
SCREW TOOLS		MTU...	90°	Ø20-42 mm	LNMU 03...		D55
		MTK...	14°	Ø25-40 mm	WNGX 09T3...		D55
		MTK...	14°	Ø16-35 mm	WNGX 0603...		D56
		MTK...	90°	Ø25-40 mm	XEKT 19...		D56
		MTG...	90°	Ø16-40 mm	APKT 10...		D57
		MTG...	90°	Ø25-40 mm	APKT 16...		D57
		MTT...	90°	Ø32-42 mm	3PKT 10...		D57
		MTT...	90°	Ø21-32 mm	SNKT 06...		D58
		MTZ...	90°	Ø25-42 mm	SDMT 09...		D58
		MTE...	90°	Ø15-22 mm	RPHX 10T...		D59
		MTE...	90°	Ø40mm	RPHX 12...		D59

INDEXABLE ENDMILLS



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSG012-01-AP10-120	●	12	1	30	120	12	APKT10...	SM2,5X6	T08
MSG012-01-AP10-120-C	●	12	1	30	120	12			
MSG014-01-AP10-120	●	14	1	30	120	12			
MSG016-02-AP10-100	●	16	2	30	100	16			
MSG016-02-AP10-100-C	●	16	2	30	100	16			
MSG016-02-AP10-120	●	16	2	30	120	16			
MSG016-02-AP10-120-C	●	16	2	30	120	16			
MSG016-02-AP10-150	●	16	2	40	150	16			
MSG016-02-AP10-150-C	●	16	2	40	150	16			
MSG016-02-AP10-200	●	16	2	50	200	16			
MSG016-02-AP10-200-C	●	16	2	50	200	16			
MSG016-02-AP10-250	●	16	2	50	250	16			
MSG018-02-AP10-100	●	18	2	30	100	16			
MSG018-02-AP10-100-C	●	18	2	30	100	16			
MSG018-02-AP10-120	●	18	2	30	120	16			
MSG018-02-AP10-120-C	●	18	2	30	120	16			
MSG018-02-AP10-150	●	18	2	40	150	16			
MSG018-02-AP10-150-C	●	18	2	40	150	16			
MSG018-02-AP10-200	●	18	2	50	200	16			
MSG018-02-AP10-200-C	●	18	2	50	200	16			
MSG020-03-AP10-100	●	20	3	30	100	20			
MSG020-03-AP10-100-C	●	20	3	30	100	20			
MSG020-03-AP10-120	●	20	3	30	120	20			
MSG020-03-AP10-120-C	●	20	3	30	120	20			
MSG020-03-AP10-150	●	20	3	40	150	20			
MSG020-03-AP10-150-C	●	20	3	40	150	20			
MSG020-03-AP10-200	●	20	3	60	200	20			
MSG020-03-AP10-200-C	●	20	3	60	200	20			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS



90°




									
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSG020-03-AP10-250	●	20	3	70	250	20	APKT10...	SM2,5X7	T08
MSG022-03-AP10-100	●	22	3	30	100	20			
MSG022-03-AP10-100-C	●	22	3	30	100	20			
MSG022-03-AP10-120	●	22	3	30	120	20			
MSG022-03-AP10-120-C	●	22	3	40	120	20			
MSG022-03-AP10-150	●	22	3	40	150	20			
MSG022-03-AP10-150-C	●	22	3	40	150	20			
MSG022-03-AP10-200	●	22	3	50	200	20			
MSG022-03-AP10-250	●	22	3	50	250	20			
MSG025-03-AP10-100	●	25	3	30	100	25	APKT10...	SM2,5X7	T08
MSG025-03-AP10-100-C	●	25	3	30	100	25			
MSG025-03-AP10-120	●	25	3	30	120	25			
MSG025-03-AP10-120-C	●	25	3	40	120	25			
MSG025-03-AP10-150	●	25	3	40	150	25			
MSG025-03-AP10-150-C	●	25	3	40	150	25			
MSG025-03-AP10-200	●	25	3	60	200	25			
MSG025-03-AP10-200-C	●	25	3	60	200	25			
MSG025-03-AP10-250	●	25	3	70	250	25			
MSG026-03-AP10-150	●	26	3	40	150	25			
MSG026-03-AP10-200	●	26	3	35	200	25			
MSG026-03-AP10-250	●	26	3	35	250	25			
MSG028-03-AP10-150	●	28	3	40	150	25			
MSG028-03-AP10-150-C	●	28	3	40	150	25			
MSG030-04-AP10-100	●	30	4	30	100	25			
MSG030-04-AP10-100-C	●	30	4	30	100	25			
MSG030-04-AP10-120	●	30	4	30	120	25			
MSG030-04-AP10-120-C	●	30	4	30	120	25			
MSG030-04-AP10-150	●	30	4	40	150	25			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
							Insert	Screw	Torx Key
MSG030-04-AP10-150-C	●	30	4	40	150	25	APKT10...	SM2,5X7	T08
MSG030-04-AP10-200	●	30	4	40	200	25			
MSG030-04-AP10-200-C	●	30	4	40	200	25			
MSG030-04-AP10-300	●	30	4	40	300	25			
MSG032-04-AP10-150	●	32	4	40	150	25			
MSG032-04-AP10-150-C	●	32	4	60	150	32			
MSG032-04-AP10-200	●	32	4	60	200	32			
MSG032-04-AP10-200-C	●	32	4	60	200	32			
MSG035-04-AP10-100	●	35	4	30	100	32			
MSG035-04-AP10-100-C	●	35	4	30	100	32			
MSG035-04-AP10-120	●	35	4	30	120	32			
MSG035-04-AP10-120-C	●	35	4	30	120	32			
MSG035-04-AP10-150	●	35	4	30	150	32			
MSG035-04-AP10-150-C	●	35	4	30	150	32			
MSG035-04-AP10-200	●	35	4	30	200	32			
MSG040-04-AP10-100	●	40	4	40	100	32			
MSG040-05-AP10-100-C	●	40	5	40	100	32			
MSG040-05-AP10-120	●	40	5	40	120	32			
MSG040-05-AP10-120-C	●	40	5	40	120	32			
MSG040-05-AP10-150	●	40	5	40	150	32			
MSG040-05-AP10-150-C	●	40	5	40	150	32			
MSG040-05-AP10-200	●	40	5	40	200	32			
MSG040-05-AP10-200-C	●	40	5	40	200	32			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS



90°




		
Insert	Screw	Torx Key
APKT11T3...	SM2,5X6	T08
	SM2,5X7	

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSZ025-02-AP16-170	●	25	2	50	170	25	APKT16	SM4X9	T15
MSZ026-02-AP16-200	●	26	2	30	200	25			
MSZ026-02-AP16-250	●	26	2	30	250	25			
MSZ032-03-AP16-170	●	32	3	50	170	32			
MSZ033-03-AP16-200	●	33	3	40	200	32			
MSZ033-03-AP16-250	●	33	3	40	250	32			
MSZ033-03-AP16-300	●	33	3	40	300	32			
MSZ033-03-AP16-350	●	33	3	40	350	32			
MSZ033-03-AP16-400	●	33	3	40	400	32			



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MST020-02-3P10-150-C	●	20	2	40	150	20	3PKT10	SM2,5X7	T08
MST025-03-3P10-150-C	●	25	3	50	150	25			
MST032-04-3P10-150-C	●	32	4	35	150	32			

● Stock item


○ Non Stock item

△ Special order

INDEXABLE ENDMILLS




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MST016-02-BL06-150-C	●	16	2	35	150	15	BLMP06	SM2,5X8	T08
MST016-02-BL06-150-C	●	16	2	35	150	16			
MST017-02-BL06-100-C	●	17	2	35	100	16			
MST017-02-BL06-150-C	●	17	2	35	150	16			
MST017-02-BL06-200-C	●	17	2	35	200	16			
MST020-03-BL06-150-C	●	20	3	35	150	20			
MST021-03-BL06-150-C	●	21	3	35	150	20			
MST021-03-BL06-200-C	●	21	3	35	200	20			
MST025-04-BL06-150-C	●	25	4	35	150	25			
MST026-04-BL06-150-C	●	26	4	35	150	25			
MST026-04-BL06-200-C	●	26	4	35	200	25			
MST032-05-BL06-200-C	●	32	5	35	200	32			
MST033-05-BL06-200-C	●	33	5	35	200	32			



Order Code	Stock Availability	D (mm)	L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSW08-01-RC08-130	○	8	36	130	10	RCE 08	SM3xd4,2xT08	T8
MSW010-01-RC10-130	●	10	30	130	12	RCE 10	SM5x0,5x9	T15
MSW012-01-RC12-130	●	12	32	130	12	RCE 12	SM5x0,5x10	T20
MSW016-01-RC16-140	●	16	36	140	16	RCE 16	SM5x0,5x12	
MSW020-01-RC20-180	●	20	45	180	20	RCE 20	SM4x0,5x17	
MSW025-01-RC25-160	●	25	45	160	25	RCE 25	SM6x0,75x20	
MSW030-01-RC30-200	○	30	66	200	32	RCE 30	SM8xd13x3Allen	A3
MSW032-01-RC32-200	○	32	66	200	32	RCE 32		

INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSY016-02-LN03-160-C	●	16	2	30	160	16	LNGX 03	SM3x8	T08-T10
MSY016-02-LN03-110-C	●	16	2	35	110	16			
MSY016-02-LN03-200-C	●	16	2	60	200	16			
MSY017-02-LN03-160-C	●	17	2	30	160	16			
MSY017-02-LN03-200-C	●	17	2	30	200	16			
MSY018-02-LN03-160-C	●	18	2	30	160	16			
MSY020-03-LN03-110-C	●	20	3	35	110	20			
MSY020-03-LN03-130-C	●	20	3	40	130	20			
MSY020-03-LN03-160-C	●	20	3	50	160	20			
MSY020-03-LN03-200-C	●	20	3	60	200	20			
MSY021-03-LN03-160-C	●	21	3	30	160	20			
MCY021-03-LN03-200-C	●	21	3	30	200	20			
MSY022-03-LN03-180-C	●	22	3	30	180	20			
MSY025-04-LN03-160-C	●	25	4	50	160	25			
MSY025-04-LN03-180-C	●	25	4	50	180	25			
MSY026-04-LN03-180-C	●	26	4	30	180	25			
MSY026-04-LN03-200-C	●	26	4	30	200	25			
MSY026-04-LN03-250-C	●	26	4	30	250	25			
MSY028-04-LN03-160-C	●	28	4	30	160	25			
MSY028-04-LN03-200-C	●	28	4	30	200	25			
MSY032-05-LN03-160-C	●	32	5	50	160	32			
MSY032-05-LN03-200-C	●	32	5	60	200	32			
MSY033-05-LN03-160-C	●	33	5	40	160	32			

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSK016-01-LN10-090-C	●	16	1	35	90	16			
MSK018-02-LN10-120-C	●	18	2	30	120	16			
MSK020-02-LN10-100-C	●	20	2	35	100	20			
MSK020-02-LN10-150-C	●	20	2	50	150	20			
MSK025-02-LN10-115-C	●	25	2	35	115	25			
MSK025-03-LN10-115-C	●	25	3	35	115	25			
MSK025-03-LN10-150-C	●	25	3	50	150	25			
MSK032-04-LN10-125-C	●	32	4	40	125	32			
MSK032-04-LN10-150-C	●	32	4	50	150	32			
MSK032-04-LN10-200-C	●	32	4	60	200	32			
MSK040-04-LN10-130-C	●	40	4	40	130	32			
MSK040-05-LN10-130-C	●	40	5	40	130	32			



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSG035-02-TP16-100	●	35	2	50	100	25			
MSG040-03-TP16-100	●	40	3	50	100	25			
MSG050-03-TP16-100	●	50	3	50	100	25			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS




										
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key	
MSG016-02-RD0803-120-C	●	16	2	40	120	16	RD...0803	SM3X6	T10	
MSG016-02-RD0803-150-C	●	16	2	40	150	16				
MSG017-02-RD0803-150-C	●	17	2	30	150	16				
MSG020-03-RD0803-150-C	●	20	3	50	150	20				
MSG020-02-RD1003-120-C	●	20	2	40	120	20	RD...1003	SM3X8	T15	
MSG020-02-RD1003-150-C	●	20	2	50	150	20				
MSG020-02-RD1003-200-C	●	20	2	50	200	20				
MSG025-02-RD1003-150-C	●	25	2	50	150	25				
MSG025-02-RD1003-200-C	●	25	2	60	200	25				
MSG032-02-RD1003-250-C	●	32	2	100	250	32				
MSG032-03-RD1003-150-C	●	32	3	60	150	32				
MSG032-03-RD1003-200-C	●	32	3	60	200	32				
MSG032-03-RD1003-250-C	●	32	3	100	250	32				
MSG020-02-RD10T3-150-C	●	20	2	50	150	20				RD...10T3
MSG025-02-RD10T3-150-C	●	25	2	50	150	25				
MSG025-02-RD10T3-200-C	●	25	2	70	200	25				
MSG032-02-RD10T3-250-C	●	32	2	100	250	32				
MSG032-03-RD10T3-250-C	●	32	3	100	250	32				
MSG032-03-RD10T3-150-C	●	32	3	70	150	32				
MSG032-03-RD10T3-160-C	●	32	3	50	160	32				
MSG040-02-RD10T3-250-C	●	40	2	55	250	32				
MSG040-04-RD10T3-150-C	●	40	4	55	150	32				
MSG040-04-RD10T3-250-C	●	40	4	55	250	32				

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS




45°

60°



Order Code	Stock Availability	K	D (mm)		D1 (mm)	d (mm)	L (mm)	L1 (mm)			
MSG015-01-TC11-100	●	45°	15	1	4	16	L100	35	TCMT 11..	M2,5X7	T08
MSG025-02-TC11-120	●	45°	25	2	14	16	L120	35			
MSG030-02-TC11-100	●	45°	30	2	16	16	L100	35			
MSG035-03-TC11-100	●	45°	35	3	21	16	L100	35			
MSG023-03-TC16-100	●	45°	23	3	5	16	L100	35	TCMT16..	M3,5X8	T15
MSG031-01-TC16-100	●	45°	31	1	10	16	L100	35			
MSG035-02-TC16-100	●	45°	35	2	14	20	L100	35			
MSG043-02-TC16-100	●	45°	43	2	22	25	L100	35			
MSG050-03-TC16-100	●	45°	50	3	30	25	L100	35			
MSG020-03-TC16-100	●	60°	20	3	6	16	L100	35			
MSG035-01-TC16-100	●	60°	35	1	20	20	L100	35			
MSG040-02-TC16-100	●	60°	40	2	24	25	L100	35			



14°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSK025-02-WN09-150-C	●	25	2	70	150	25	WNGX 09	SM3X8	T10
MSK032-03-WN09-150-C	●	32	3	70	150	32			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS




90°



Insert	Screw	Torx Key
R390 11T3...	M2,5X6	T08

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSS016-02-R311-150	●	16	2	44	150	16
MSS016-02-R311-150-C	●	16	2	44	150	16
MSS016-02-R311-100	○	16	2	35	100	16
MSS020-03-R311-150	●	20	3	50	150	20
MSS020-03-R311-150-C	●	20	3	50	150	20
MSS020-03-R311-100	○	20	3	40	100	20
MSS025-03-R311-150	●	25	3	50	150	25
MSS025-03-R311-150-C	●	25	3	50	150	25
MSS025-03-R311-100	●	25	3	35	100	25



90°



Insert	Screw	Torx Key
APKT1705	SM4X8.4	T15
	M4X10	

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSE025-02-AP17-100-C	○	25	2	37	100	25
MSE032-03-AP17-110-C	○	32	3	39	110	32
MSE032-03-AP17-200-C	○	32	3	39	200	32
MSE040-04-AP17-120-C	○	40	4	49	120	32

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MST016-02-SN06-120	●	16	2	40	120	16	SNKT 0603	M3X8	T10
MST016-02-SN06-150-C	●	16	2	50	150	16			
MST017-02-SN06-150	●	17	2	30	150	16			
MST017-02-SN06-150-C	●	17	2	30	150	16			
MST017-02-SN06-200-C	●	17	2	30	200	16			
MST018-02-SN06-150-C	●	18	2	30	150	16			
MST020-03-SN06-120-C	●	20	3	40	120	20			
MST021-03-SN06-160-C	●	21	3	30	160	20			
MST021-03-SN06-200-C	●	21	3	30	200	20			
MST022-03-SN06-160-C	●	22	3	30	160	20			
MST025-03-SN06-150-C	●	25	3	40	150	25			
MST025-03-SN06-200-C	●	25	3	60	200	25			
MST026-03-SN06-200-C	●	26	3	30	200	25			



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MST025-02-6N06-150-C	●	25	2	50	150	25	6NGU 0604	M3X8	T10
MST032-03-6N06-150-C	●	32	3	50	150	32			

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MST032-03-3P15-150-C	●	32	3	30	150	25	3PKT 1505	M4,5X12	T20
MST032-03-3P15-200-C	●	32	3	60	200	32			



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSY010-03-LP01-120	●	10	3	30	120	9	LPGT 0102	M2X5	T06
MSY010-02-LP01-100	●	10	2	20	100	10			
MSY011-02-LP01-120	●	11	2	22	120	10			
MSY012-02-LP01-120	●	12	2	20	120	11			
MSY012-03-LP01-120	●	12	3	20	120	11			
MSY012-02-LP01-100	●	12	2	25	100	12			
MSY012-02-LP01-120	●	12	2	25	120	12			
MSY012-03-LP01-120	●	12	3	25	120	12			
MSY012-03-LP01-150	●	12	3	80	150	12			
MSY014-03-LP01-120	●	14	3	30	120	14			
MSY016-04-LP01-160	●	16	4	30	160	16			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)					
MSZ022-02-SD09-170-C	●	22	2	25	170	20	SDMT 09T3	M3,5X8	CK14	M3,5X10	T15
MSZ025-02-SD09-160-C	●	25	2	40	160	25					
MSZ025-03-SD09-160-C	●	25	3	50	160	25					
MSZ025-02-SD09-200-C	●	25	2	60	200	25					
MSZ025-03-SD09-200-C	●	25	3	60	200	25					
MSZ026-02-SD09-160-C	●	26	2	30	160	25					
MSZ026-03-SD09-160-C	●	26	3	30	160	25					
MSZ026-02-SD09-200-C	●	26	2	30	200	25					
MSZ032-03-SD09-150-C	●	32	3	50	150	32					
MSZ032-03-SD09-160-C	●	32	3	50	160	32					
MSZ032-03-SD09-200-C	●	32	3	60	200	32					
MSZ033-03-SD09-160-C	●	33	3	40	160	32					
MSZ033-03-SD09-200-C	●	33	3	30	200	32					
MSZ033-03-SD09-250-C	●	33	3	30	250	32					
MSZ035-04-SD09-160-C	●	35	4	30	160	32					
MSZ042-04-SD09-160-C	●	42	4	40	160	32					



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSE040-05-LN13-C	○	40	5	49	120	32	LNHU1306	M4X11.5	T15

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS




90°



Insert	Screw	Torx Key
LNHU0904	M3X8.3	T09

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSE020-02-LN09-110	○	20	2	30	110	20
MSE020-03-LN09-110	○	20	3	30	110	20
MSE021-02-LN09-200	○	21	2	30	200	20
MSE025-03-LN09-200-C	○	25	3	34	200	25
MSE025-04-LN09-200-C	○	25	4	34	200	25
MSE026-03-LN09-200-C	○	26	3	34	200	25
MSE028-03-LN09-110-C	○	28	3	34	110	25
MSE032-04-LN09-250-C	○	32	4	45	250	32
MSE032-05-LN09-250-C	○	32	5	45	250	32
MSE033-04-LN09-250-C	○	33	4	45	250	32



45°



Insert	Screw	Torx Key	Shim	Shim Screw	Shim Screw
XNMU0705	SM3.5X12	T15	S-XN07030	SM5X8.5	A3.5


Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSE040-3-XN07-C	○	40	3	28.3	130	40

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE025-02-SD09-200-C	●	25	2	48	200	25	SDMT0904	M3.5X8.6	T10
MSE026-02-SD09-180-C	●	26	2	28	180	25	SDMT0904		
MSE032-03-SD09-250-C	●	32	3	67	250	32	SDMT0904		



15°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE025-02-SD09-96-C	●	25	2	37	96	25	SDMT0904	M3.5X8.6	T10
MSE032-02-SD09-100-C	●	32	2	37	100	32	SDMT0904		



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE032-02-SD15-250-C	●	32	2	70	250	32	SDMT1205	M4X11.2	T15

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE015-03-RP10-225-C	●	15	3	56.2	225	25	RPHX10T3	M3X7.2	T09
MSE022-04-RP10-130-C	●	22	4	65	130	32	RPHX10T3		




90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE032-03-RP12-120-C	○	32	3	33	120	32	RPHX1204	M4X8.5	T10



90°




Takim Kodu Order Code	Stok Durumu Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Uç Insert	Vida Screw	Anahtar Torx Key
MSK020-01-XE19-150-C	○	20	1	50	150	20	XEKT19...	SM4X10	T15
MSK025-02-XE19-150-C	○	25	2	50	150	25			
MSK032-02-XE19-150-C	○	32	2	50	150	32			
MSK040-03-XE19-150-C	○	40	3	60	150	32			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCG040-05-AP10	●	40	5	45	16	APKT1003	SM2,5X7	T08
MCG040-05-AP10-C	●	40	5	45	16			
MCG050-06-AP10	●	50	6	45	22			
MCG050-06-AP10-C	●	50	6	45	22			
MCG063-06-AP10	●	63	6	45	22			
MCG063-07-AP10	●	63	7	45	22			
MCG063-07-AP10-C	●	63	7	45	22			
MCG080-08-AP10	●	80	8	52	27			
MCG080-08-AP10-C	●	80	8	52	27			
MCG100-09-AP10	●	100	9	52	32			
MCG100-09-AP10-C	●	100	9	52	32			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCY040-06-LN03-C	●	40	6	40	17	LNGX03	SM3X7	T08
MCY050-06-LN03-C	●	50	6	50	22			
MCY050-07-LN03-C	●	50	7	50	22			
MCY052-06-LN03-C	●	52	6	50	22			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



		
Insert	Screw	Torx Key
BLMP06	SM2,5X8	T08



90°



90°






Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCG040-05-AP11	●	40	5	45	16	APKT1103	SM2,5X7	T08
MCG050-06-AP11	●	50	6	50	22			
MCG063-07-AP11	●	63	7	50	22			
MCG040-04-AP16	●	40	4	45	16	APKT16T3	SM4X12	T15
MCG050-05-AP16	●	50	5	45	22			
MCG063-05-AP16	●	63	5	45	22			
MCG080-07-AP16	●	80	7	52	27			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCK040-04-LN10-C	●	40	4	40	16	LNMX1006	SM3X10	T10
MCK040-05-LN10-C	●	40	5	40	16			
MCK050-06-LN10-C	●	50	6	40	22			
MCK050-04-LN15-C	●	50	4	40	22	LNMX 1510	SM4X14	T15
MCK063-06-LN15-C	●	63	6	40	22			
MCK080-07-LN15-C	●	80	7	52	27			
MCK100-08-LN15-C	●	100	8	52	32			
MCK125-10-LN15	●	125	10	62	40			
MCK160-12-LN15	●	160	12	62	40			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCU040-06-LN03-C	●	40	6	40	16	LNMU03	SM2,5X7	T08
MCU050-07-LN03-C	●	50	7	40	22			
MCU052-07-LN03-C	●	52	7	40	22			
MCU063-08-LN03-C	●	63	8	40	22			

● Stock item


○ Non Stock item

△ Special order

FACE MILLS



90°




										
Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Clamp	Screw	Torx Key
MCG040-04-RD1003-C	●	40	4	40	16	RD..1003	SM3,5X10	CCK14M	SM3,5X8	T15
MCG050-05-RD1003-C	●	50	5	46	22					
MCG063-06-RD1003-C	●	63	6	50	22					
MCG080-07-RD1003-C	●	80	7	52	27					
MCGI 00-08-RD1003-C	●	100	8	52	32					
MCG050-05-RD10T3-C	●	50	5	40	22	RD..10T3				
MCG063-06-RD10T3-C	●	63	6	40	22					
MCG080-07-RD10T3-C	●	80	7	50	27					
MCG040-04-RD12T3-C	●	40	4	40	16	RD..12T3				
MCG050-05-RD12T3-C	●	50	5	46	22					
MCG052-05-RD12T3-C	●	52	5	46	22					
MCG063-06-RD12T3-C	●	63	6	50	22					
MCG080-07-RD12T3-C	●	80	7	52	27					
MCG100-08-RD12T3-C	●	100	8	52	32					
MCG125-09-RD12T3	●	125	9	62	40					
MCG160-10-RD12T3	●	160	10	62	40					
MCG160-10-RD12T3-C	●	160	10	62	40	RD..1604				
MCG050-04-RD1604-C	●	50	4	50	22					
MCG052-04-RD1604-C	●	52	4	50	22					
MCG063-04-RD1604-C	●	63	4	50	22					
MCG066-05-RD1604-C	●	66	5	50	27					
MCG080-05-RD1604-C	●	80	5	52	27					
MCG100-06-RD1604-C	●	100	6	52	32					
MCG125-07-RD1604	●	125	7	62	40					
MCG160-08-RD1604	●	160	8	62	40					

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



45°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)					
MCK050-05-SN12-45	●	50	5	40	22	SNMX1205	SM4X11	T15	M4X11	T15
MCK063-06-SN12-45	●	63	6	40	22					
MCK080-08-SN12-45	●	80	8	50	27					
MCK100-10-SN12-45	●	100	10	50	32					
MCK125-11-SN12-45	●	125	11	62	40					
MCK160-12-SN12-45	●	160	12	62	40					



88°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCK050-05-SN12-88-C	●	50	5	40	22	SNMX1206	SM4,5X11	T20
MCK063-06-SN12-88-C	●	63	6	40	22			
MCK080-08-SN12-88-C	●	80	8	50	27			
MCK100-10-SN12-88-C	●	100	10	50	32			
MCK125-11-SN12-88	●	125	11	62	40			
MCK160-12-SN12-88	●	160	12	62	50			
MCK200-14-SN12-88	●	200	14	62	60			


* Use SM4x12x6 screws for SNMX1205 inserts.

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCG050-03-TP16	●	50	3	41	22	TPKN16	SM6X0,75	A4
MCG063-04-TP16	●	63	4	48	22			
MCG080-05-TP16	●	80	5	52	32			
MCG100-06-TP16	●	100	6	52	32			
MCG063-03-TP22	●	63	3	48	22	TPKN22	SM8X1	A5
MCG080-04-TP22	●	80	4	52	32			
MCG100-05-TP22	●	100	5	52	32			
MCG125-06-TP22	●	125	6	62	40			
MCG160-07-TP22	●	160	7	62	40			
MCG200-08-TP22	●	200	8	62	60			
MCG250-10-TP22	●	250	10	62	60			




14°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCK040-03-WN09-C	●	40	3	40	16	WNGX09T3	SM3X10	T10
MCK040-04-WN09-C	●	40	4	40	16			
MCK050-04-WN09-C	●	50	4	40	22			
MCK052-04-WN09-C	●	52	4	40	22			
MCK052-05-WN09-C	●	52	5	40	22			
MCK052-06-WN09-C	●	52	6	40	22			
MCK063-05-WN09-C	●	63	5	40	22			
MCK066-06-WN09-C	●	66	6	45	27			


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCY050-04-WN08-C	●	50	4	40	22	WNMU0806	SM5X12	T20
MCY052-04-WN08-C	●	52	4	40	22			
MCY063-05-WN08-C	●	63	5	40	22			
MCY080-06-WN08-C	●	80	6	45	27			
MCY100-07-WN08-C	●	100	7	50	32			
MCY125-08-WN08	●	125	8	50	40			
MCY160-10-WN08	●	160	10	62	40			
MCY200-12-WN08	●	200	12	62	50			



14°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCK040-04-WN09-C	●	40	4	40	16	WNGX 09	SM3X10	T10
MCK050-04-WN09-C	●	50	4	40	22			
MCK052-04-WN09-C	●	52	4	40	22			
MCK052-05-WN09-C	●	52	5	40	22			
MCK052-06-WN09-C	●	52	6	40	22			
MCK063-05-WN09-C	●	63	5	40	22			
MCK066-06-WN09-C	●	66	6	50	22			
MCK066-06-WN09-C	●	66	6	50	27			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCT050-04-3P15-C	●	50	4	40	22	3PKT 1505	M4,5X12	T20
MCT063-05-3P15-C	●	63	5	40	22			
MCT080-07-3P15-C	●	80	7	50	27			
MCT100-08-3P15-C	●	100	8	50	32			
MCT040-04-3P10 -C	●	40	4	40	16	3PKT 1004	M3X8	T10
MCT050-05-3P10-C	●	50	5	40	22			
MCT063-08-3P10-C	●	63	8	40	22			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCT040-04-6N06-C	●	40	4	40	16	6NGU 0604	M3X8	T10
MCT050-05-6N06-C	●	50	5	40	22			
MCT063-06-6N06-C	●	63	6	40	22			
MCT050-05-6N09-C	●	50	5	40	22	6NGU 0905	M4X11	T15
MCT063-06-6N09-C	●	63	6	40	22			
MCT080-07-6N09-C	●	80	7	50	27			
MCT100-08-6N09-C	●	100	8	50	32			
MCT125-10-6N09	●	125	10	62	40			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCS040-05-R311-C	●	40	5	40	16	R390 11T3	M2,5X7	T08
MCS050-06-R311-C	●	50	6	40	22			
MCS063-07-R311-C	●	63	7	50	22			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)					
MCZ040-04-SD09-C	●	40	4	40	16	SDMT 09T3	M3,5X11	CK14	M3,5X11	T15
MCZ050-04-SD09-C	●	50	4	40	22					
MCZ050-05-SD09-C	●	50	5	40	22					
MCZ052-05-SD09-C	●	52	5	40	22					
MCZ052-06-SD09-C	●	52	6	40	22					
MCZ060-06-SD09-C	●	60	6	40	22					
MCZ063-06-SD09-C	●	63	6	40	22					
MCZ080-07-SD09-C	●	80	7	50	27					
MCZ100-08-SD09-C	●	100	8	50	32					

● Stock item

○ Non Stock item

△ Special order

FACE MILLS




90°



Insert	Screw	Torx Key

Order Code	Stock Availability	D (mm)		H (mm)	d (mm)
MCT040-05-BL09-C	●	40	5	40	16
MCT050-06-BL09-C	●	50	6	40	22
MCT052-06-BL09-C	●	52	6	40	22
MCT063-07-BL09-C	●	63	7	40	22




90°



Insert	Screw	Torx Key

Order Code	Stock Availability	D (mm)		H (mm)	d (mm)
MCW050-04-SP12-C	●	50	4	45	22
MCW063-05-SP12-C	●	63	5	50	22


FACE MILLS



75°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCG063-05-SP12	●	63	5	40	22	SPKN 1203	M8X1 L	A6
MCG080-06-SP12	●	80	6	50	27			
MCG100-08-SP12	●	100	8	50	32			
MCG125-10-SP12	●	125	10	62	40			
MCG160-12-SP12	●	160	12	62	40			
MCG200-12-SP12	●	200	12	62	60			



45°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCZ050-04-ON08-C	●	50	4	50	22	ONHU 08T6	M4,5X15	T20
MCZ080-06-ON08-C	●	80	6	50	27			
MCZ100-07-ON08-C	●	100	7	50	32			
MCZ125-08-ON08	●	125	8	62	40			
MCZ160-10-ON08	●	160	10	62	40			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



40°



								
Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE050-04-OD06-C	○	50	4	40	16	ODMT0605	M4.5X12 A43	T20
MCE063-05-OD06-C	○	63	5	40	22			
MCE80-05-OD06-C	○	80	5	50	27			
MCE080-06-OD06-C	○	80	6	50	27			
MCE100-06-OD06-C	○	100	6	50	32			
MCE100-07-OD06-C	○	100	7	50	32			
MCE125-07-OD06-C	○	125	7	63	40			
MCE125-08-OD06-C	○	125	8	63	40			
MCE160-10-OD06	○	160	10	63	40			



90°




								
Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE050-05-AP17-C	○	50	5	40	22	APKT1705	SM4X10	T15
MCE063-06-AP17-C	●	63	6	40	22			
MCE080-06-AP17-C	●	80	6	50	27			
MCE100-08-AP17-C	○	100	8	50	32			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



45°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)						
MCE040-03-XN07-C	○	40	3	40	6	XN0705	M3.5X12	T15	S-XN07030	SS0585F	A3.5
MCE050-04-XN07-C	○	50	4	40	22						
MCE050-05-XN07-C	○	50	5	40	22						
MCE063-05-XN07-C	●	63	5	40	22						
MCE063-06-XN07-C	●	63	6	40	22						
MCE080-06-XN07-C	●	80	6	50	27						
MCE080-07-XN07-C	●	80	7	50	27						
MCE100-07-XN07-C	●	100	7	50	32						
MCE100-08-XN07-C	●	100	8	50	32						
MCE125-08-XN07-C	●	125	8	63	40						
MCE125-10-XN07-C	○	125	10	63	40						
MCE160-09-XN07	○	160	9	63	40						
MCE160-12-XN07	○	160	12	63	40						
MCE200-14-XN07	○	200	14	63	60						




45°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)						
MCE063-05-XN09-C	○	63	5	40	22	XN0906	M5X13	T20	S-XN09040	SS0810F	A5
MCE080-06-XN09-C	○	80	6	50	27						
MCE100-07-XN09-C	○	100	7	50	32						
MCE100-08-XN09-C	○	100	8	50	32						
MCE125-08-XN09-C	○	125	8	63	40						
MCE125-10-XN09-C	○	125	10	63	40						
MCE160-09-XN09	○	160	9	63	40						
MCE160-11-XN09	○	160	11	63	40						
MCE200-12-XN09	○	200	12	63	60						
MCE250-12-XN09	△	250	12	63	60						
MCE315-14-XN09	△	315	14	63	60						


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE040-04-LN09-C	○	40	4	40	16	LNHU0904	SM3X8.3	T09
MCE040-06-LN09-C	○	40	6	40	16			
MCE050-05-LN09-C	○	50	5	40	22			
MCE050-07-LN09-C	○	50	7	40	22			
MCE063-07-LN09-C	○	63	7	40	22			
MCE063-10-LN09-C	○	63	10	40	22			
MCE080-09-LN09-C	○	80	9	50	27			
MCE080-13-LN09-C	○	80	13	50	27			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE063-04-LN16-C	○	63	4	40	22	LNHU1607	M5X13 A63	T20
MCE080-05-LN16-C	○	80	5	50	27			
MCE100-06-LN16-C	○	100	6	50	32			
MCE125-07-LN16-C	○	125	7	63	40			
MCE160-08-LN16-C	○	160	8	63	40			

● Stock item

○ Non Stock item

△ Special order

FACE MILLS




90°



								
Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE040-04-LN13-C	○	40	4	40	16	LNHU1306	SM4X11.2	T15
MCE040-05-LN13-C	○	40	5	40	16			
MCE050-05-LN13-C	○	50	5	40	22			
MCE050-06-LN13-C	○	50	6	40	22			
MCE063-04-LN13-C	○	63	4	40	22			
MCE063-06-LN13-C	○	63	6	40	22			
MCE063-08-LN13-C	○	63	8	40	22			
MCE080-05-LN13-C	○	80	5	50	27			
MCE080-07-LN13-C	○	80	7	50	27			
MCE080-10-LN13-C	○	80	10	50	27			
MCE100-07-LN13-C	○	100	7	50	32			
MCE100-09-LN13-C	○	100	9	50	32			
MCE100-13-LN13-C	○	100	13	50	32			
MCE125-09-LN13-C	○	125	9	63	40			
MCE125-11-LN13-C	○	125	11	63	40			
MCE125-16-LN13-C	○	125	16	63	40			
MCE160-09-LN13	○	160	9	63	40			
MCE160-13-LN13	○	160	13	63	40			
MCE200-12-LN13	○	200	12	63	60			
MCE250-12-LN13	○	250	12	63	60			


FACE MILLS



15°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE040-03-SD09-C	○	40	3	32	16	SDMT0904	M3.5X8.6	T10
MCE040-04-SD09-C	●	40	4	32	16			
MCE040-05-SD09-C	○	40	5	32	16			
MCE050-05-SD09-C	●	50	5	40	22			
MCE050-06-SD09-C	○	50	6	40	22			




15°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE052-03-SD12-C	○	52	3	40	22	SDMT1205	M4X11.2	DT-TP10
MCE052-04-SD12-C	●	52	4	40	22			
MCE052-05-SD12-C	○	52	5	40	22			
MCE063-04-SD12-C	●	63	4	40	22			
MCE063-05-SD12-C	○	63	5	40	22			
MCE066-04-SD12-C	○	66	4	45	27			
MCE066-05-SD12-C	○	66	5	45	27			
MCE080-05-SD12-C	●	80	5	50	27			
MCE080-08-SD12-C	●	80	8	50	27			
MCE100-06-SD12-C	●	100	6	50	32			
MCE100-09-SD12-C	○	100	9	50	32			
MCE125-08-SD12-C	○	125	8	63	40			
MCE125-11-SD12-C	○	125	11	63	40			

FACE MILLS



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCE030-05-RP10-C	●	30	5	40	16	RPHX10T3	M3X7.2	T09
MCE040-06-RP10-C	●	40	6	40	22		M3X7.2	T09




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCE040-04-RP12-C	○	40	4	40	16	RPHX1204	M4X8.5	T10
MCE050-05-RP12-C	●	50	5	40	22			
MCE063-06-RP12-C	●	63	6	40	22			
MCE080-07-RP12-C	○	80	7	50	27			

● Stock item


○ Non Stock item

△ Special order

FACE MILLS



		
Insert	Screw	Torx Key
RPHX1605	M5X12	T20




45° 								
Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE063-04-HN09-C	○	63	4	40	22	HNGX0906	M4.5X12	T15
MCE063-05-HN09-C	○	63	5	40	22			
MCE080-05-HN09-C	○	80	5	50	27			
MCE080-06-HN09-C	○	80	6	50	27			
MCE100-06-HN09-C	○	100	6	50	32			
MCE100-08-HN09-C	○	100	8	50	32			
MCE100-10-HN09-C	○	100	10	50	32			
MCE125-06-HN09-C	○	125	6	63	40			
MCE125-10-HN09-C	○	125	10	63	40			
MCE125-12-HN09-C	○	125	12	63	40			
MCE160-08-HN09	△	160	8	63	40			
MCE160-12-HN09	△	160	12	63	40			

● Stock item


○ Non Stock item

△ Special order

FACE MILLS




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	a	b	APMX			
MCK040-03-XE19-C	○	40	3	45	34	8,8	6	17	XEKT19...	SM4X10	T15
MCK050-04-XE19-C	○	50	4	50	42	9,6	6,3	17			
MCK063-04-XE19-C	○	63	4	50	48	10,3	6,3	17			
MCK080-05-XE19-C	○	80	5	50	57	12,3	7,3	17			
MCK100-06-XE19-C	○	100	6	52	70	12,3	8,3	17			
MCK125-07-XE19-C	○	125	7	54	87	16,3	9,3	17			



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCZ063-05-ON06	●	63	5	40	22	ONHU 06...	M5X12	T20
MCZ080-07-ON06	●	80	7	50	27			
MCZ100-08-ON06	●	100	8	52	32			
MCZ125-09-ON06	●	125	9	62	40			


HELICAL MILLING CUTTERS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Row	Total Insert	Insert	Screw	Torx Key	Installation Wrench
MCE040-03/12-LN09-C	○	40	3	55	16	4	12	LNHU0904	M3X8.3	T09	A15/24
MCE040-03/15-LN09-C	○	40	3	65	16	5	15				
MCE050-03/24-LN09-C	○	50	4	75	22	6	24				



90°




90°







Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Row	Total Insert	APMX	Screw	Torx Key	Installation Wrench
MSE025-02/08-LN09-100-C	○	25	2	43	100	25	LNHU0904	4	8	31	M3X8.3	T09	A15/24
MSE032-02/08-LN09-105-C	○	32	2	44	105	32		5	10	39			
MSE032-02/10-LN09-110-C	○	32	2	50	110	32			15				
MSE040-03/15-LN09-125-C	○	40	3	55	125	40			18	46			
MSE040-03/18-LN09-130-C	○	40	3	59	130	40		6					



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M	Row	Total Insert	APMX	Insert	Screw	Torx Key	Installation Wrench
MTE025-02/06-LN09-C	○	25	2	40	64	12.5	M12	3	6	23	LNHU0904	M3X8.3	T09	A15/24
MTE032-02/06-LN09-C	○	32	2	40	67	17	M16	3	6	23				
MTE032-02/08-LN09-C	○	32	2	50	77	17	M16	4	8	31				

● Stock item

○ Non Stock item

△ Special order


HELICAL MILLING CUTTERS



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Row	Total Insert	APMX	Insert	Screw	Torx Key	Clamping Screw
MCE040-02/06-LN13-C	○	40	2	55	16	3	6	34	LNHU1306	M4X11.5	T15	M8X40
MCE040-02/08-LN13-C	○	40	2	65	16	4	8	45				M8X4.5
MCE050-03/09-LN13-C	○	50	3	55	22	3	9	34				M10X40
MCE050-03/12-LN13-C	○	50	3	65	22	4	12	45				M10X50
MCE063-04/20-LN13-C	○	63	4	80	27	5	20	56				M12X60
MCE063-04/16-LN13-C	○	63	4	70	27	4	16	45				M12X50
MCE080-05/25-LN13-C	○	80	5	85	32	5	25	56				M16X65



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Row	Total Insert	APMX	Screw	Torx Key
MSE040-02/06-LN13-120-C	○	40	2	54	120	40	LNHU1306	3	6	34	M4X11.5	T15
MSE040-02/08-LN13-135-C	○	40	2	64	135	40	LNHU1306	4	8	45		



90°



Order Code	Stock Availability	D (mm)		L (mm)	L1 (mm)	d (mm)	Insert	Screw	Torx Key
MSG020-06-AP10-110-C	●	20	6	110	27	20	AP10..	M2,5X7	T08
MSG025-08-AP10-120-C	●	25	8	120	36	25			
MSG032-15-AP10-120-C	●	32	15	120	45	32			
MSG040-18-AP10-130-C	●	40	18	130	54	32			

● Stock item

○ Non Stock item

△ Special order


HELICAL MILLING CUTTERS

*The recommended cutting conditions always refer to general conditions. These cutting conditions should be adjusted according to the practical machine rigidity, tools, workpiece clamping and coolant. Average chip thickness (hm)=fz x sinkr.


Materials				Cutting depth and feed					
ISO	Material classification	Tensile strength (N/mm ²)	Hardness (HB)	LNHU 0904..					
				ap		Chipbreaker			
						M4		R2	
						fz (mm)		fz (mm)	
				min	max	min	max	min	max
	Unalloyed steel	<600	<180	3.00	46.00	0.08	0.25	-	-
		<950	<280						
	Alloyed steel	700-950	200-280			0.06	0.20	-	-
		950-1200	280-355						
		1200-1400	355-415						
	Duplex stainless steel	778	230			0.06	0.20	-	-
	Austenitic stainless steel	675	200						
	Precipitation-hardening stainless steel	1013	300						
	Grey cast iron	700	220			0.08	0.28	-	-
	Nodular cast iron	880	260						
	Malleable cast iron	800	250						
	Aluminum	260	75			-	-	0.06	0.25
	Aluminum alloy	447	130						
	Fe-based alloy	943	280						
	Co-based alloy	1076	320			0.08	0.15	-	-
	Ni-based alloy	1177	350						
	Ti-alloy	1262	370						
	Hardened steel	-	50-60HRC			-	-	-	-
	Chilled cast iron	-	55HRC						

Materials				Cutting depth and feed					
ISO	Material classification	Tensile strength (N/mm ²)	Hardness (HB)	LNHU 1306					
				ap		Chipbreaker			
						M4		R2	
						fz (mm)		fz (mm)	
				min	max	min	max	min	max
	Unalloyed steel	<600	<180	3.00	46.00	0.08	0.25	0.08	0.28
		<950	<280						
	Alloyed steel	700-950	200-280			0.06	0.20	0.06	0.22
		950-1200	280-355						
		1200-1400	355-415						
	Duplex stainless steel	778	230			0.06	0.20	0.06	0.22
	Austenitic stainless steel	675	200						
	Precipitation-hardening stainless steel	1013	300						
	Grey cast iron	700	220			0.08	0.28	0.08	0.30
	Nodular cast iron	880	260						
	Malleable cast iron	800	250						
	Aluminum	260	75			-	-	-	-
	Aluminum alloy	447	130						
	Fe-based alloy	943	280						
	Co-based alloy	1076	320			0.08	0.15	-	-
	Ni-based alloy	1177	350						
	Ti-alloy	1262	370						
	Hardened steel	-	50-60HRC			-	-	-	-
	Chilled cast iron	-	55HRC						

SCREW TYPE ENDMILLS




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTT020-03-BL06-M10-C	●	20	3	36	60	10,5	M10	BLMP06	SM2,5X8	T08
MTT025-04-BL06-M12-C	●	25	4	36	60	12,5	M12			
MTT032-05-BL06-M16-C	●	32	5	36	60	17	M16			
MTT040-06-BL06-M16-C	●	40	6	36	60	17	M16			
MTT042-06-BL06-M16-C	●	42	6	36	60	17	M16			




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTY020-03-LN03-M10-C	●	20	3	36	60	10,5	M10	LNGX03	SM3X8	T08
MTY025-04-LN03-M12-C	●	25	4	36	60	12,5	M12			
MTY032-05-LN03-M16-C	●	32	5	38	62	17	M16			
MTY035-05-LN03-M16-C	●	35	5	38	62	17	M16			
MTY040-06-LN03-M16-C	●	40	6	40	65	17	M16			
MTY042-06-LN03-M16-C	●	42	6	40	65	17	M16			

SCREW TYPE ENDMILLS



Insert	Screw	Torx Key
LNMU03	SM2,5X8	T08

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)
MTU020-03-LN03-M10-C	●	20	3	31	50	10,5	M10
MTU025-04-LN03-M12-C	●	25	4	39	51	12,5	M12
MTU032-04-LN03-M16-C	●	32	4	39	63	17	M16
MTU032-05-LN03-M16-C	●	32	5	39	63	17	M16
MTU035-04-LN03-M16-C	●	35	4	39	63	17	M16
MTU040-06-LN03-M16-C	●	40	6	39	63	17	M16
MTU042-05-LN03-M16-C	●	42	5	39	63	17	M16
MTU042-06-LN03-M16-C	●	42	6	39	63	17	M16




14°



Insert	Screw	Torx Key
WNGX09T3	SM3X10	T10

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)
MTK025-02-WN09-M12-C	●	25	2	28	50	12,5	M12
MTK032-03-WN09-M16-C	●	32	3	38	60	17	M16
MTK035-04-WN09-M16-C	●	35	4	38	60	17	M16
MTK040-04-WN09-M16-C	●	40	4	38	60	17	M16
MTK042-04-WN09-M16-C	●	42	4	36	60	17	M16


SCREW TYPE ENDMILLS



14°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)			
MTK016-02-WN06-M08	●	16	2	25	42	8,5	M8	WNGX0603	SM2,5X8	T08
MTK020-03-WN06-M10	●	20	3	35	60	10,5	M10			
MTK025-03-WN06-M12	●	25	3	35	60	12,5	M12			
MTK025-04-WN06-M12	●	25	4	35	60	12,5	M12			
MTK032-05-WN06-M16	●	32	5	35	60	17	M16			
MTK035-05-WN06-M16	●	35	5	35	60	17	M16			




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	APMX			
MTK025-02-XE19-M12-C	○	25	2	22	68	23	M12	17	XEKT19...	SM4X10	T15
MTK032-02-XE19-M16-C	○	32	2	23	70	31	M16	17			
MTK040-03-XE19-M16-C	○	40	3	23	72	32	M16	17			

● Stock item

○ Non Stock item

△ Special order

SCREW TYPE ENDMILLS




90°



Insert	Screw	Torx Key
APKT 1003	M2,5X7	T06
APKT 1604	M3,5X8	T15

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)
MTG016-02-AP10-M08-C	●	16	2	33	50	8,5	M08
MTG020-03-AP10-M10-C	●	20	3	32	51	10,5	M10
MTG025-03-AP10-M12-C	●	25	3	38	60	12,5	M12
MTG032-04-AP10-M16-C	●	32	4	36	60	17	M16
MTG035-04-AP10-M16-C	●	35	4	36	60	17	M16
MTG040-05-AP10-M16-C	●	40	5	36	60	17	M16
MTG025-02-AP16-M12-C	●	25	2	38	60	12,5	M12
MTG032-03-AP16-M16-C	●	32	3	44	68	17	M16
MTG040-04-AP16-M16	●	40	4	44	68	17	M16




90°



Insert	Screw	Torx Key
3PKT 1004	M3X8	T10

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)
MTT032-04-3PKT10-M16	●	32	4	36	60	17	M16
MTT042-04-3PKT10-M16	●	42	4	36	60	17	M16

SCREW TYPE ENDMILLS




90°



Insert	Screw	Torx Key
SNKT 0603	M3X8	T10

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)
MTT021-03-SN06-M10-C	●	21	3	31	50	17	M10
MTT026-03-SN06-M12-C	●	26	3	28	50	12,5	M12
MTT032-04-SN06-M16-C	●	32	4	36	60	17	M16




90°




Insert	Screw	Torx Key
SDMT 09T3	M3,5X8	T15

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)
MTZ025-02-SD09-M12-C	●	25	2	28	50	12,5	M12
MTZ025-03-SD09-M12-C	●	25	3	28	50	12,5	M12
MTZ032-03-SD09-M16-C	●	32	3	36	60	17	M16
MTZ035-04-SD09-M16-C	●	35	4	36	60	17	M16
MTZ040-04-SD09-M16-C	●	40	4	36	60	17	M16
MTZ042-04-SD09-M16-C	●	42	4	36	60	17	M16

SCREW TYPE ENDMILLS




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTE015-03-RP10-M12-C	○	15	3	35	57	12.5	M12	RPHX10T3	M3X7.2	T09
MTE022-04-RP10-M16-C	○	22	4	43	67	17	M16	RPHX10T3		



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTE040-04-RP12-M16-C	○	40	4	43	67	17	M16	RPHX1204	M4X8.5	T10

Screw-on Arbor



Order Code	Stock Availability	D (mm)	d (mm)	M (mm)	L (mm)	I (mm)
ET D15 C16 M08 L120-H	●	15	16	8	120	40
ET D18 C20 M10 L120-H	●	18	20	10	120	60
ET D18 C20 M10 L170-H	●	18	20	10	170	90
ET D24 C25 M12 L160-H	●	24	25	12	160	80
ET D24 C25 M12 L200-H	●	24	25	12	200	100
ET D24 C25 M12 L250-H	●	24	25	12	250	150
ET D31 C32 M16 L160-H	●	31	32	16	160	80
ET D31 C32 M16 L200-H	●	31	32	16	200	100
ET D31 C32 M16 L250-H	●	31	32	16	250	150

● Stock item

○ Non Stock item

△ Special order



Italy Office



Via Leonardo Da Vinci, 4 – 20054
Milano MI ITALIA



(+39) 0282398309



info@euroloy.com

Turkey Office



Üsküdar Cad. YEDPA No:1
Ataşehir -İstanbul -TÜRKİYE



(+90) 850 933 3408



euroloytr@euroloy.com