




MILLING

2026 | CATALOG

www.euroloy.com

EUROLOY
CARBIDE TOOLS



TABLE OF

Contents

Milling Insert Coding **D3**

Milling Grades **D5**

Milling Inserts **D7**

Milling Tools Summary **D11**

Indexable Endmills **D15**

Face Mills **D33**

Helical Milling Cutters **D51**

Screw Type Endmills **D55**

S

P

K

R

12

1

Insert Shape

2

Relief Angle

3

Tolerance

4


Cutting Insert Type

5

Cutting Edge Length


1

Insert Shape

S P K R 12 03 ^{ED}08 S R - NN


2

Relief Angle

S P K R 12 03 ^{ED}08 S R - NN

3

Tolerance

S P K R 12 03 ^{ED}08 S R - NN

Tolerance on C,E,H,M,O,P,R,S,T,W Insert Shape (Exceptional Case)

(mm)

Class	d	m	t
A	±0.025	±0.005	±0.025
C	±0.025	±0.013	±0.025
H	±0.013	±0.013	±0.025
E	±0.025	±0.025	±0.025
G	±0.025	±0.025	±0.13
J	±0.05~±0.15	±0.005	±0.025
K	±0.05~±0.15	±0.013	±0.025
L	±0.05~±0.15	±0.025	±0.025
M	±0.05~±0.15	±0.08~±0.20	±0.13
U	±0.08~±0.25	±0.13~±0.38	±0.13


d	Tolerance d			Tolerance m		
	J,K,L,M,N	U	M,N	U		
6.35	±0.05	±0.08	±0.08	±0.13		
9.525	±0.05	±0.08	±0.08	±0.13		
12.7	±0.08	±0.13	±0.13	±0.20		
15.875	±0.10	±0.18	±0.15	±0.27		
19.05	±0.10	±0.18	±0.15	±0.27		
25.4	±0.13	±0.25	±0.18	±0.38		

Tolerance on D Insert Shape (Exceptional Case)

d	Tolerance d	Tolerance m
6.35	±0.05	±0.11
9.525	±0.05	±0.11
12.7	±0.08	±0.15
15.875	±0.10	±0.18
19.05	±0.10	±0.18

4

Cutting Insert Type


S P K R 12 03 ^{ED}08 S R - NN

5


Cutting Edge Length

S P K R 12 03 ^{ED}08 S R - NN

Metric System



Inch System



The value to be used for cutting inserts with an inscribed circle smaller than 1/4" (1/32" to 1/4").

The value to be used for cutting inserts with an inscribed circle larger than 1/4" (1/8" to 1/4").

※ In addition to round inserts, equilateral quadrilateral and rectangular cutting inserts provide a longer cutting edge.

Table According To The "Metric" and "Inch" Systems								
	6	9	11	16	22	27	33	44
	3	5	6	9	12	15	19	25
	4	6	7	11	15	19	23	31
	3	5	6	9	12	16	19	25
Internal tangent diameter	5/32"	7/32"	1/4"	3/8"	1/2"	5/8"	3/4"	1"
Inch System	5	7	2 (8)	3	4	5	6	8

03

6

Height of Cutting Edge

**ED
08**

7

Nose Radius (Nose R)

S

8

Edge Shape

R

9

Cutting Direction


NN

10

Chip Breaker for Milling

6 Height of Cutting Edge

S P K R 12 **03** ED 08 S R - NN




Symbol		Cutting edge thickness (t)	
Metric	Inch	mm	Inch
01	1 (2)	1.59	1/16
T0	1.125	1.79	9/128
T1	1.2	1.98	5/64
02	1.5 (3)	2.38	3/32
T2	1.75	2.78	7/64
03	2	3.18	1/8
T3	2.5	3.97	5/32
04	3	4.76	3/16
05	3.5	5.56	7/32
06	4	6.35	1/4
07	5	7.94	5/16
09	6	9.52	3/8
11	7	11.11	7/16
12	8 (16)	12.70	1/2

symbols for small size inserts


8 Edge Shape

S P K R 12 03 ED 08 **S** R - NN




9 Cutting Direction

S P K R 12 03 ED 08 S **R** - NN




7 Nose Radius

S P K R 12 03 **ED 08** S R - NN



r		Symbol		r		Symbol	
mm	Inch	mm	Inch	mm	Inch	mm	Inch
00	0	0.0		12	3	1.2	3/64
02		0.2		15		1.5	
04	1	0.4	1/64	16	4	1.6	4/64
05		0.5		24	6	2.4	6/64
08	2	0.8	2/64	32	8	3.2	8/64
10		1.0		40		4.0	



Parallel surface kr	Relief Angle a°	
A - 45°	A - 3°	F - 25°
D - 60°	B - 5°	G - 30°
E - 75°	C - 7°	N - 0°
F - 85°	D - 15°	P - 11°
P - 90°		
Z - Special		

10 Chip Breaker for Milling

S P K R 12 03 ED 08 S R - **NN**



M AL NN HM90



F57 M2 H2 GM



AL EN PM1 GH

MILLING GRADES

Grade	ISO	Coating	Stock availability	Features
TC0135	P35	CVD	△	CVD coated grade for high speed milling of steel. It combines good wear resistance and toughness to avoid chipping and edge breakage. Can be used in both wet and dry conditions.
TC0140	P40	CVD	△	Suitable for large depth of cut, medium to high speed milling of steel under unstable cutting conditions.
TC2215	K15	CVD	●	CVD coated grade for high speed milling of cast iron. Suitable for higher cutting parameters and ensures stable performance and reliability. Can be used from finish, semi-finish to rough milling.
TC2225	K25	CVD	○	Suitable for semi-finish milling and rough milling of gray cast iron at medium and high cutting speed. Recommended for dry cutting conditions to achieve longer tool life.
TP2125	P25 M25	PVD	●	First choice for steel milling. It is recommended to be used in rough to finish machining of steel under stable working conditions, good for both dry and wet machining with small cutting width, complex tool path and adhesive materials.
TP2135	P35 M35	PVD	○	Supplementary grade to TP2125 with medium hardness substrate when high toughness is required.
TP2335	M35	PVD	○	Suitable for milling stainless steel and steel at medium and low speed under unstable machining conditions.
TP2345	P35 M35	PVD	○	Ultra-thick PVD coated grade is the first choice for stainless steel milling. It is suitable for rough milling of stainless steel under unstable machining conditions.
TP2225	K25	PVD	○	Suitable for semi-finish and rough milling of gray cast iron and nodular cast iron at medium and low cutting speed. Has excellent tool life under both dry and wet conditions.

● Stock item

○ Non Stock item

△ Special order

MILLING GRADES

Grade	ISO	Coating	Stock availability	Features
TP4415	S15	PVD	●	Carbide substrate has both toughness and high hot hardness characteristics and is suitable for rough milling of stainless steel under unstable machining conditions. Milling at low cutting speed can achieve longer tool life.
TP4405	H15	PVD	△	Produced-per-order grade, suitable for milling hardened steel. Can be used in rough and finish milling, Milling the needs of most conditions.
TP2620	P20 M20 K20 S15 H15	PVD	●	Universal grade with excellent wear resistance and stability. Suitable for milling of steel, stainless steel and cast iron. Also applicable for semi-finishing of superalloys and semi-finish milling of HRC45-55 hardened materials.
TP2630 TP4630	P30 M30 K40 S25 H25	PVD	●	Universal grade applicable for rough, semi-finish and light interrupted milling of steel and stainless steel.
TP2640	P45 M45 K45 S25 H25	PVD	△	Supplementary grade to TP2630 when high toughness is required.
TP2320 TP1320	P20 M20	PVD	●	Submicron grade with excellent wear resistance and toughness, first choice for continuous milling of stainless steel. Also works well for general machining of steel.
TN7501	N15	-	●	Uncoated grade combined with sharp cutting edge, used in aluminum alloy milling.

● Stock item

○ Non Stock item

△ Special order

Milling









Product Image		Vc m/min							P			M			K			S	H	U			Insert Size								Geometry			
	Insert Code	No. of Edges	KAPR°	ap (mm)	fz (mm/t)	TP2125	TP2135	T00135	T00140	TP1320	TP2320	TP2335	TP2345	TC2215	TC2225	TP2225	TN7501	TP4415	TP4405	TP2620	TP3620	TP4620	TP2630	TP4630	TP2640	IC	A P M X	S	RE	W1		BS	d1	AN
						280(110-450)	225(100-350)	265(90-350)	240(100-360)	125(90-160)	125(90-160)	110(90-130)	90(70-120)	320(140-500)	270(140-400)	230(110-350)	400(200-750)	45(30-65)	55(35-80)															
	ADKT 1505PDTR-NN	2	90	0.5-14	0.18-0.32																												15°	
	APKT 1003PDR-HM90	2	90	0.5-6.5	0.13-0.26												○															11°		
	APKT 1003PDER-IT	2	90	0.1-8.0	0.1-0.2	○	●										○															11°		
	APKT 1705PER-DT	2	90	0.5-15	0.18-0.4	○	○						○		○								●									11°		
	APKT 170516R-DT	2	90	0.5-15	0.18-0.4	○									○																	11°		
	APKT 1003PDFR-AL	2	90	0.5-9	0.13-0.26												●																	
	APKT 1135PDFR-AL	2	90	0.5-10	0.13-0.22												○																	
	APKT 160402-AL	2	90	0.5-15	0.08-0.20												●																	
	APKT 160404-AL	2	90	0.5-15	0.10-0.22												●																	
	APKT 1604PDFR-AL	2	90	0.5-15	0.15-0.32											○																		
	APKT 11T304-PM1	2	90	0.5-10	0.1-0.3														●														11°	
	APKT 11T308-PM1	2	90	0.5-10	0.1-0.3														●														11°	
	APKT 160408-PM1	2	90	0.5-15	0.1-0.3									●			○	●					●										11°	
	APMT 1135PDER-H2	2	90	0.5-9	0.1-0.25									●									●										11°	
	APMT 1604PDER-H2	2	90	0.5-10	0.15-0.3									●			○					●											11°	
	APMT 1135PDER-M2	2	90	0.5-9	0.8-0.15									●			○			○	●											11°		
	APMT 1604PDER-M2	2	90	0.5-10	0.12-0.22									●																				

 Special order


MILLING INSERTS

Product Image	Insert Code	Vc m/min	KAPR°	ap (mm)	fz (mm/t)	Insert Size																Geometry																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
						Insert Size																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
						Insert Size																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
						P	M	K	N	S	H	U																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

MILLING INSERTS

Product Image	Insert Code	Vc m/min		ap (mm)	fz (mm/t)	P			M			K		N	S	H	U			Insert Size								Geometry						
		No. of Edges	KAPR°			TP2125	TP2135	TC0135	TC0140	TP1320	TP2320	TP2335	TP2345	TC2215	TC2225	TP2225	TN7501	TP4415	TP4405	TP2620	TP3620	TP4620	TP2630	TP4630	TP2640	IC	A P M X		S	RE	W1	BS	d1	AN
	RPHX 10T3M8-M3			0.2-5.0	0.04-0.24							o			o									10		3.97				3.4	11°			
	RPHX 1204M4E-M3			0.2-6.0	0.10-0.36							o			o									12		4.76				4.4	11°			
	RPHX 1605M8EN-M3			0.2-8.0	0.10-0.36							o			o									16		5.56				5.5	11°			
	RPHX 10T3M4-R6			0.2-5.0	0.10-0.24							o			o									10		3.97				3.4	11°			
	RPHX 1204M6E-R6			0.2-6.0	0.10-0.40							o			o									12		4.76				4.4	11°			
	RPHX 1605M6E-R6			0.2-8.0	0.10-0.40							o			o									16		5.56				5.5	11°			
	SDMT 09T312-DM	4	10	0.2-1.8	0.4-1.2																	●	9.525	3.97	1.2				4	15°				
	SDMT 120412-DM	4	10	0.5-2.0	0.4-1.4																	●	12.7	4.76	1.2				4.4	15°				
	SDMT 090408-M3	4	15	0.2-1.5	0.3-1.5	o	●		●							●				o			9.525	4.76	0.8		1.3	3.9	15°					
	SDMT 120508-M3	4	15	0.5-2.5	0.3-2.0	●	o						o		●								12.7	5.56	0.8		2.2	4.4	15°					
	SDMT 120512-M3	4	15	0.5-2.5	0.3-2.0			●												●			12.7	5.56	1.2		2.2	4.4	15°					
	SDMW 090408-HR	4	15	0.2-6.0	0.1-2.0								●										9.506	4.76	0.8		1.6	3.9	15°					
	SDMW 120508-HR	4	15	0.5-9.0	0.3-3.0	●																	12.7	5.56	0.8		2.5	4.4	15°					
	SEHT 1204AFTN-AL	4	45	0.5-5.5	0.05-0.20									o									12.7	4.76	0.8			1.8	20°					
	SNKT 060308R-M	4	90	1.0-5.0	0.07-0.15					●		●				●				●			6.6	6.0	3.71	0.8			3.4					
	SNKT 060308R-AL	4	90	1.0-5.0	0.07-0.15										●								6.6	6.0	3.71	0.8			3.4					
	SNKT 090408R-M	4	90	1.0-8.0	0.07-0.15																		8.6	8.0	4.7	0.8			4.15					
	SNMX 1206ANN-AL	8	45	0.5-5.5	0.01-0.25										o								12.7	6.0	6.35	0.8		1.56	4.5					
	SNMX 1206ANN-MM	8	45	0.5-6.0	0.10-0.35						●		●							●			12.7	6.0	6.35	0.8		1.56	4.5					
	SNMX 1206QNN-MM	8	88	0.5-11	0.05-0.30								●							●			12.7	11.5	6.35	0.8		1.40	5.2					
	SNMX 1205ANN-F57	8	45	0.5-5.0	0.16-0.34								●							●			12.7	6.0	5.5	0.8		1.56						
	SNMX 120512-F57	8	88	1.0-10	0.1-0.40								●							●			12.7	11.5	5.5	1.2								
	SPKN 1203EDTR-NN	4	75	0.5-7.0	0.18-0.40															●			12.7	9.0	3.21	1.20			11°					
	SPKN 1504EDTR-NN	4	75	0.5-9.0	0.18-0.40															●			15.88	12	4.76	1.6			11°					
	SPMT 120408-PM1	4	90	0.5-9.0	0.13-0.29					●										●			12.7	11.5	4.76	0.8		5.58	11°					
	TPKN 1603PDTR-NN	3	90	0.5-12	0.14-0.25															●			14.52	13	3.18	1.2		1.85	11°					
	TPKN 2204PDTR-NN	3	90	0.5-18	0.15-0.27															●			19.92	18	4.76	1.2		1.95	11°					
	VCKT 220530N-AL	2	90	1-15	0.15-0.30										●							15.6	15	5.56	3.0	12.7		5.6	7°					
	WNGX 060312XNN-EM	6	14	0.5-1.0	0.20-1.2															●			6.35	1	3.18	1.2		2.86						
	WNGX 09T316XNN-EM	6	14	0.7-1.5	1.2-2.0															●			9.525	1.5	3.98	1.6		3.6						
	WNMU 080608EN-GM	6	90	0.8-7.5	0.1-0.3					●				o						●			14	8	6.65	0.8		1.3	6.2					
	WNMU 080608EN-GH	6	90	0.8-8	0.1-0.4															●			14	8	6.65	0.8		1.3	6.2					

MILLING INSERTS

Product Image	Insert Code	No. of Edges	KAPR*	ap (mm)	fz (mm/1)	P		M		K		N	S	H	U					Insert Size							Geometry							
						TP2125	TP2135	TC0135	TC0140	TP1320	TP2320	TP2335	TP2345	TC2215	TC2225	TP2225	TN1501	TP4415	TP4405	TP2620	TP3620	TP4620	TP2630	TP4630	TP2640	IC		A P M X	S	RE	W1	BS	d1	AN
						280(110-450)	225(100-350)	265(90-350)	240(100-380)	125(90-160)	125(90-160)	110(90-130)	90(70-120)	320(140-500)	270(140-400)	230(110-350)	400(200-750)	45(30-65)	55(35-80)															
	XEKT 19M504FR-MA	2	90	9-16.9	0.24-0.40																			17	5	0.4	11.3	1.4	4.4					
	XEKT 19M508FR-MA	2	90	9-16.9	0.24-0.40																			17	5	0.8	11.3	1.0	4.4					
	XEKT 19M512FR-MA	2	90	9-16.9	0.24-0.40																			17	5	1.2	11.3	0.63	4.4					
	XEKT 19M516FR-MA	2	90	9-16.9	0.24-0.40																			17	5	1.6	11.3	0.32	4.4					
	XEKT 19M520FR-MA	2	90	9-16.9	0.24-0.40																			17	5	2.0	11.3	0.83	4.4					
	XEKT 19M530FR-MA	2	90	9-16.9	0.24-0.40																			17	5	3.0	11.3	0.67	4.4					
	XEKT 19M532FR-MA	2	90	9-16.9	0.24-0.40																			17	5	3.2	11.3	0.48	4.4					
	XEKT 19M540FR-MA	2	90	9-16.9	0.24-0.40																			17	5	4.0	11.3	0.53	4.4					
	XNMU 0705ANN-M4	14	45	0.6-3.6	0.1-0.2	●	●	●			●	○												15.09	5	0.8		1.1	4.07					
	XNMU 0705ANN-R6	14	45	0.6-3.6	0.11-0.45	○	●				●	○												15.09	5	0.8		1.1	4.07					
	XNMU 0906ANN-R6	14	45	0.8-5.0	0.2-0.65													○						19.8	5.87	0.8		1.4	5.50					
	XNGU 0705ANN-M3	14	45	0.6-3.6	0.1-0.38	○	●					○												15.0	5	0.8		1.1	4.07					
	XNGU 0906ANN-M4	14	45	0.6-5.0	0.22-0.6	●						○	○					○						19.8	5.87	0.8		1.4	5.05					

● Stock item

○ Non Stock item

△ Special order


MILLING TOOL CODING SYSTEM

1	2	3	4		5		6	7		8
M	S	G	032		03	-	AP	16		150*
Milling	Type	Insert Model	Tool Dia.		Number of Pockets		Insert Code	Insert Dimensions		S: Full size T: Metric
	C: Milling Head									
	S: Indexable Endmill									
	T: Screw Type Tools									



*Shows total tool length for indexable endmills or Metric for screw type tools.




**"-C" at the end of the code refers to coolant.

MILLING TOOLS SUMMARY


Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
INDEXABLE ENDMILLS		MSG...	90°	Ø12-40 mm	APKT 10...		D15
		MSZ...	90°	Ø16-32 mm	APKT 11T3...		D18
		MSZ...	90°	Ø25-33 mm	APKT 16...		D19
		MST...	90°	Ø20-32 mm	3PKT 10...		D19
		MSW...	-	Ø 8-32 mm	RCE...		D20
		MSY...	90°	Ø16-33 mm	LNGX 03...		D21
		MSK...	90°	Ø16-40 mm	LNMX 10...		D22
		MSG...	90°	Ø35-50 mm	TPKN 16...		D22
		MSG...	-	Ø16-40 mm	RD... 0803 RD... 1003 RD... 10T3 RD... 1204		D23
		MSG...	45°-60°	Ø15-40 mm	TCMT 11... TCMT 16...		D24
		MSK...	14°	Ø25-32 mm	WNGX 09...		D24
		MSS...	90°	Ø16-25 mm	R390 11...		D25
		MSE...	90°	Ø25-40 mm	APKT 17...		D25
		MST...	90°	Ø16-26 mm	SNKT 06...		D26
		MST...	90°	Ø25-32 mm	6NGU 06...		D26
		MST...	90°	Ø32 mm	3PKT 15...		D27
		MSY...	90°	Ø10-16 mm	LPGU 0102...		D27
		MSZ...	10°	Ø22-42 mm	SDMT 09...		D28
		MSE...	90°	Ø40 mm	LNHU 13...		D28
		MSE...	90°	Ø20-33 mm	LNHU 09...		D29
		MSE...	45°	Ø40 mm	XNMU 07...		D29
		MSE...	15°	Ø25-32 mm	SDMT 09...		D30

Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
INDEXABLE ENDMILLS		MSE...	15°	Ø25-32 mm	SDMT 09...		D30
		MSE...	15°	Ø32 mm	SDMT 12...		D30
		MSE...	-	Ø15-22 mm	RPHX 10T...		D31
		MSE...	-	Ø32 mm	RPHX 12...		D31
		MSK...	90°	Ø20-40 mm	XEKT 19...		D32
		MSK...	14°	Ø25-32 mm	WNGX 09T3...		D32
MILLING HEADS		MCG...	90°	Ø40-100 mm	APKT 10...		D33
		MCY...	90°	Ø40-52 mm	LNGX 03...		D33
		MCG...	90°	Ø40-80 mm	APKT 11... APKT 16...		D34
		MCK...	90°	Ø40-50 mm	LNMX 1006...		D34
		MCK...	90°	Ø50-160 mm	LNMX 1510...		D34
		MCG...	-	Ø40-160 mm	RD... 1003... RD... 10T3... RD... 12T3... RD... 1604...		D35
		MCK...	45°	Ø50-160 mm	SNMX 1205...		D36
		MCK...	88°	Ø50-250 mm	SNMX 1206... SNMX1205...		D36
		MCG...	90°	Ø50-100 mm	TPKN 16...		D37
		MCG...	90°	Ø63-250 mm	TPKN 22...		D37
		MCK...	14°	Ø40-66 mm	WNGX 09T3...		D37
		MCY...	90°	Ø50-250 mm	WNMU 0806...		D38
		MCT...	90°	Ø50-100 mm	3PKT 15...		D39
		MCT...	90°	Ø40-63 mm	3PKT 10...		D39
		MCT...	90°	Ø40-63 mm	6NGU 06...		D39
		MCT...	90°	Ø50-125 mm	6NGU 09...		D39

Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
MILLING HEADS		MCS...	90°	Ø40-63 mm	R390 11...		D40
		MCZ...	10°	Ø40-100 mm	SDMT 09...		D40
		MCW ...	90°	Ø50-63 mm	SPMT 12...		D41
		MCG...	75°	Ø63-200 mm	SPKN 12...		D41
		MCZ...	45°	Ø50-160 mm	ONHU 08...		D42
		MCE...	40°	Ø50-160 mm	ODMT 06...		D43
		MCE...	90°	Ø50-100 mm	APKT 17...		D43
		MCE...	45°	Ø40-200 mm	XNMT 07...		D44
		MCE...	45°	Ø63-315 mm	XNMT 09...		D44
		MCE...	90°	Ø40-80 mm	LNHT 09...		D45
		MCE...	90°	Ø63-160 mm	LNHT 16...		D45
		MCE...	90°	Ø40-250 mm	LNHT 13...		D46
		MCE...	15°	Ø40-50 mm	SDMT 09...		D47
		MCE...	15°	Ø52-125 mm	SDMT 12...		D47
		MCE...	-	Ø30-40 mm	RPHX 10T...		D48
		MCE...	-	Ø40-80 mm	RPHX 12...		D48
		MCE...	-	Ø63-100 mm	RPHX 16...		D49
		MCE...	45°	Ø63-160 mm	HNGX 09...		D49
		MCK...	90°	Ø40-125 mm	XEKT 19...		D50
		MCZ...	45°	Ø63-125 mm	ONHT 06...		D50
		MCI...	44°	Ø40-125 mm	ONMT 19...		D51
		MCE...	90°	Ø40-50 mm	LNHT 09...		D51
		MCE...	90°	Ø25-40 mm	LNHT 09...		D52

Type	Picture	Code	Approach Angle	Diameter Range	Insert	Feature	Page
HELICAL MILLING CUTTERS		MTE...	90°	Ø25-32 mm	LNHU 09...		D52
		MCE...	90°	Ø40-80 mm	LNHU 13...		D52
		MSE...	90°	Ø40 mm	LNHU 13...		D53
		MSG...	90°	Ø40-80 mm	APKT 10...		D53
		MCG...	90°	Ø50-80 mm	APKT 16...		D53
		MTY...	90°	Ø20-42 mm	LNGX 03...		D55
SCREW TOOLS		MTK...	14°	Ø25-40 mm	W NGX 09T3...		D55
		MTK...	14°	Ø16-35 mm	W NGX 0603...		D56
		MTK...	90°	Ø25-40 mm	XEKT 19...		D56
		MTG...	90°	Ø16-40 mm	APKT 10...		D57
		MTG...	90°	Ø25-40 mm	APKT 16...		D57
		MTT...	90°	Ø32-42 mm	3PKT 10...		D57
		MTT...	90°	Ø21-32 mm	SNKT 06...		D58
		MTZ...	15°	Ø25-42 mm	SDMT 09...		D58
		MTE...	-	Ø15-22 mm	RPHX 10T...		D59

INDEXABLE ENDMILLS



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSG012-01-AP10-120	●	12	1	40	120	12	APKT1003...	SM2,5X6	T08
MSG012-01-AP10-120-C	●	12	1	40	120	12			
MSG014-01-AP10-120	●	14	1	30	120	12			
MSG016-02-AP10-100	●	16	2	35	100	16			
MSG016-02-AP10-100-C	●	16	2	35	100	16			
MSG016-02-AP10-120	●	16	2	40	120	16			
MSG016-02-AP10-120-C	●	16	2	40	120	16			
MSG016-02-AP10-150	●	16	2	50	150	16			
MSG016-02-AP10-150-C	●	16	2	50	150	16			
MSG016-02-AP10-200	●	16	2	50	200	16			
MSG016-02-AP10-200-C	●	16	2	50	200	16			
MSG016-02-AP10-250	●	16	2	60	250	16			
MSG018-02-AP10-100	●	18	2	30	100	16			
MSG018-02-AP10-100-C	●	18	2	30	100	16			
MSG018-02-AP10-120	●	18	2	30	120	16			
MSG018-02-AP10-120-C	●	18	2	30	120	16			
MSG018-02-AP10-150	●	18	2	30	150	16			
MSG018-02-AP10-150-C	●	18	2	30	150	16			
MSG018-02-AP10-200	●	18	2	30	200	16			
MSG018-02-AP10-200-C	●	18	2	30	200	16			
MSG020-03-AP10-100	●	20	3	30	100	20	APKT1003...	SM2,5X7	T08
MSG020-03-AP10-100-C	●	20	3	30	100	20			
MSG020-03-AP10-120	●	20	3	40	120	20			
MSG020-03-AP10-120-C	●	20	3	40	120	20			
MSG020-03-AP10-150	●	20	3	50	150	20			
MSG020-03-AP10-150-C	●	20	3	50	150	20			
MSG020-03-AP10-200	●	20	3	60	200	20			
MSG020-03-AP10-200-C	●	20	3	60	200	20			

● Stock item


○ Non Stock item

△ Special order



 Special order

INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSG030-04-AP10-150-C	●	30	4	40	150	25	APKT1003...	SM2,5X7	T08
MSG030-04-AP10-200	●	30	4	40	200	25			
MSG030-04-AP10-200-C	●	30	4	40	200	25			
MSG030-04-AP10-300	●	30	4	40	300	25			
MSG032-04-AP10-150	●	32	4	40	150	25			
MSG032-04-AP10-150-C	●	32	4	60	150	32			
MSG032-04-AP10-200	●	32	4	60	200	32			
MSG032-04-AP10-200-C	●	32	4	60	200	32			
MSG035-04-AP10-100	●	35	4	30	100	32			
MSG035-04-AP10-100-C	●	35	4	30	100	32			
MSG035-04-AP10-120	●	35	4	30	120	32			
MSG035-04-AP10-120-C	●	35	4	30	120	32			
MSG035-04-AP10-150	●	35	4	30	150	32			
MSG035-04-AP10-150-C	●	35	4	30	150	32			
MSG035-04-AP10-200	●	35	4	30	200	32			
MSG040-04-AP10-100	●	40	4	40	100	32			
MSG040-05-AP10-100-C	●	40	5	40	100	32			
MSG040-05-AP10-120	●	40	5	40	120	32			
MSG040-05-AP10-120-C	●	40	5	40	120	32			
MSG040-05-AP10-150	●	40	5	40	150	32			
MSG040-05-AP10-150-C	●	40	5	40	150	32			
MSG040-05-AP10-200	●	40	5	40	200	32			
MSG040-05-AP10-200-C	●	40	5	40	200	32			

Milling

INDEXABLE ENDMILLS



90°





									
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSZ016-02-AP11-100	●	16	2	30	100	16	APKT11T3...	SM2,5X6	T08
MSZ016-02-AP11-160	●	16	2	30	160	16			
MSZ016-02-AP11-160-C	●	16	2	30	160	16			
MSZ016-02-AP11-200	●	16	2	30	200	16			
MSZ016-02-AP11-200-C	●	16	2	30	200	16			
MSZ017-02-AP11-160	●	17	2	30	160	16			
MSZ017-02-AP11-200	●	17	2	30	200	16			
MSZ017-02-AP11-250	●	17	2	30	250	16			
MSZ018-02-AP11-160	●	18	2	30	160	16			
MSZ020-03-AP11-120	●	20	3	30	120	20			
MSZ020-03-AP11-160	●	20	3	30	160	20			
MSZ020-03-AP11-160-C	●	20	3	40	160	20			
MSZ020-03-AP11-200	●	20	3	40	200	20			
MSZ021-03-AP11-160	●	21	3	40	160	20			
MSZ021-03-AP11-200	●	21	3	40	200	20			
MSZ022-03-AP11-250	●	22	3	40	250	20			
MSZ025-03-AP11-120	●	25	3	40	120	25			
MSZ025-03-AP11-160	●	25	3	40	160	25			
MSZ025-03-AP11-200	●	25	3	40	200	25			
MSZ026-03-AP11-160	●	26	3	50	160	25			
MSZ026-03-AP11-200	●	26	3	30	200	25			
MSZ026-03-AP11-250	●	26	3	40	250	25			
MSZ032-04-AP11-200	●	32	4	50	200	32			

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSZ025-02-AP16-170	●	25	2	50	170	25	APKT1604...	SM4X9	T15
MSZ026-02-AP16-200	●	26	2	30	200	25			
MSZ026-02-AP16-250	●	26	2	30	250	25			
MSZ032-03-AP16-170	●	32	3	50	170	32			
MSZ033-03-AP16-200	●	33	3	40	200	32			
MSZ033-03-AP16-250	●	33	3	40	250	32			
MSZ033-03-AP16-300	●	33	3	40	300	32			
MSZ033-03-AP16-350	●	33	3	40	350	32			
MSZ033-03-AP16-400	●	33	3	40	400	32			



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MST020-02-3P10-150-C	●	20	2	40	150	20	3PKT1004..	SM2,5X7	T08
MST025-03-3P10-150-C	●	25	3	50	150	25			
MST032-04-3P10-150-C	●	32	4	35	150	32			

● Stock item

○ Non Stock item

△ Special order



INDEXABLE ENDMILLS



Order Code	Stock Availability	D (mm)	L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSW 08-01-RC08-130	○	8	36	130	10	RCE 08	SM3xd4,2xT08	T8
MSW 010-01-RC10-130	●	10	30	130	12	RCE 10	SM5x0,5x9	T15
MSW 012-01-RC12-150	●	12	32	150	12	RCE 12	SM5x0,5x10	T20
MSW 016-01-RC16-140	●	16	36	140	16	RCE 16	SM5x0,5x12	
MSW 020-01-RC20-200	●	20	45	200	20	RCE 20	SM4x0,5x17	
MSW 025-01-RC25-200	●	25	45	200	25	RCE 25	SM6x0,75x20	
MSW 030-01-RC30-200	○	30	66	200	32	RCE 30	SM8xd13x3Allen	A3
MSW 032-01-RC32-200	○	32	66	200	32	RCE 32		

Milling

INDEXABLE ENDMILLS



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSY016-02-LN03-160-C	●	16	2	30	160	16	LNGX0303...	SM3x8	T08-T10
MSY016-02-LN03-110-C	●	16	2	35	110	16			
MSY016-02-LN03-200-C	●	16	2	60	200	16			
MSY017-02-LN03-160-C	●	17	2	30	160	16			
MSY017-02-LN03-200-C	●	17	2	30	200	16			
MSY018-02-LN03-160-C	●	18	2	30	160	16			
MSY020-03-LN03-110-C	●	20	3	35	110	20			
MSY020-03-LN03-130-C	●	20	3	40	130	20			
MSY020-03-LN03-160-C	●	20	3	50	160	20			
MSY020-03-LN03-200-C	●	20	3	60	200	20			
MSY021-03-LN03-160-C	●	21	3	30	160	20			
MSY021-03-LN03-200-C	●	21	3	30	200	20			
MSY022-03-LN03-180-C	●	22	3	30	180	20			
MSY025-04-LN03-160-C	●	25	4	50	160	25			
MSY025-04-LN03-180-C	●	25	4	50	180	25			
MSY026-04-LN03-180-C	●	26	4	30	180	25			
MSY026-04-LN03-200-C	●	26	4	30	200	25			
MSY026-04-LN03-250-C	●	26	4	30	250	25			
MSY028-04-LN03-160-C	●	28	4	30	160	25			
MSY028-04-LN03-200-C	●	28	4	30	200	25			
MSY032-05-LN03-160-C	●	32	5	50	160	32			
MSY032-05-LN03-200-C	●	32	5	60	200	32			
MSY033-05-LN03-160-C	●	33	5	40	160	32			

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	 Insert	 Screw	 Torx Key
MSK016-01-LN10-090-C	●	16	1	35	90	16			
MSK018-02-LN10-120-C	●	18	2	30	120	16			
MSK020-02-LN10-100-C	●	20	2	35	100	20			
MSK020-02-LN10-150-C	●	20	2	50	150	20			
MSK025-02-LN10-115-C	●	25	2	35	115	25			
MSK025-03-LN10-115-C	●	25	3	35	115	25			
MSK025-03-LN10-150-C	●	25	3	50	150	25			
MSK032-04-LN10-125-C	●	32	4	40	125	32			
MSK032-04-LN10-150-C	●	32	4	50	150	32			
MSK032-04-LN10-200-C	●	32	4	60	200	32			
MSK040-04-LN10-130-C	●	40	4	40	130	32			
MSK040-05-LN10-130-C	●	40	5	40	130	32			



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	 Insert	 Screw	 Torx Key
MSG035-02-TP16-100	●	35	2	50	100	25			
MSG040-03-TP16-100	●	40	3	50	100	25			
MSG050-03-TP16-100	●	50	3	50	100	25			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS



									
Order Code	Stock Availability	D(mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSG016-02-RD0803-120-C	●	16	2	40	120	16	RD...0803	SM3X6	T10
MSG016-02-RD0803-150-C	●	16	2	40	150	16			
MSG017-02-RD0803-150-C	●	17	2	30	150	16			
MSG020-03-RD0803-150-C	●	20	3	50	150	20			
MSG020-02-RD1003-120-C	●	20	2	40	120	20	RD...1003	SM3X8	T15
MSG020-02-RD1003-150-C	●	20	2	50	150	20			
MSG020-02-RD1003-200-C	●	20	2	50	200	20			
MSG025-02-RD1003-150-C	●	25	2	50	150	25			
MSG025-02-RD1003-200-C	●	25	2	60	200	25			
MSG032-02-RD1003-250-C	●	32	2	100	250	32			
MSG032-03-RD1003-150-C	●	32	3	60	150	32			
MSG032-03-RD1003-200-C	●	32	3	60	200	32			
MSG032-03-RD1003-250-C	●	32	3	100	250	32			
MSG020-02-RD10T3-150-C	●	20	2	50	150	20			
MSG025-02-RD10T3-150-C	●	25	2	50	150	25			
MSG025-02-RD10T3-200-C	●	25	2	70	200	25			
MSG032-02-RD10T3-250-C	●	32	2	100	250	32	RD...10T3	SM3X8	T15
MSG032-03-RD10T3-250-C	●	32	3	100	250	32			
MSG032-03-RD10T3-150-C	●	32	3	70	150	32			
MSG032-03-RD10T3-160-C	●	32	3	50	160	32			
MSG040-02-RD10T3-250-C	●	40	2	55	250	32			
MSG040-04-RD10T3-150-C	●	40	4	55	150	32			
MSG040-04-RD10T3-250-C	●	40	4	55	250	32			


Milling

● Stock item

○ Non Stock item


△ Special order

INDEXABLE ENDMILLS



45°

60°




Order Code	Stock Availability	K	D (mm)		D1 (mm)	d (mm)	L (mm)	L1(mm)	Insert	Screw	Torx Key
MSG015-01-TC11-100	●	45°	15	1	4	16	100	35	TCMT11..	M2,5X7	T08
MSG025-02-TC11-120	●	45°	25	2	14	16	120	35			
MSG030-02-TC11-100	●	45°	30	2	16	16	100	35			
MSG035-03-TC11-100	●	45°	35	3	21	16	100	35			
MSG023-03-TC16-100	●	45°	23	3	5	16	100	35	TCMT16..	M3,5X8	T15
MSG031-02-TC16-100	●	45°	31	2	10	16	100	35			
MSG035-02-TC16-100	●	45°	35	2	14	20	100	35			
MSG043-02-TC16-100	●	45°	43	2	22	25	100	35			
MSG050-03-TC16-100	●	45°	50	3	30	25	100	35			
MSG020-03-TC16-100	●	60°	20	3	6	16	100	35			
MSG035-01-TC16-100	●	60°	35	1	20	20	100	35			
MSG040-02-TC16-100	●	60°	40	2	24	25	100	35			

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MSS016-02-R311-150	●	16	2	44	150	16	R39011T3...	M2,5X6	T08
MSS016-02-R311-150-C	●	16	2	44	150	16			
MSS016-02-R311-100	○	16	2	35	100	16			
MSS020-03-R311-150	●	20	3	50	150	20			
MSS020-03-R311-150-C	●	20	3	50	150	20			
MSS020-03-R311-100	○	20	3	40	100	20			
MSS025-03-R311-150	●	25	3	50	150	25			
MSS025-03-R311-150-C	●	25	3	50	150	25			
MSS025-03-R311-100	●	25	3	35	100	25			



90°





									
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE025-02-AP17-100-C	○	25	2	37	100	25	APKT1705...	SM4X8.4	T15
MSE032-03-AP17-110-C	○	32	3	39	110	32		M4X10	
MSE032-03-AP17-200-C	○	32	3	39	200	32			
MSE040-04-AP17-120-C	○	40	4	49	120	32			

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D(mm)		L1(mm)	L(mm)	d(mm)			
MST016-02-SN06-120	●	16	2	40	120	16	SNKT0603...	M3X8	T10
MST016-02-SN06-150-C	●	16	2	50	150	16			
MST017-02-SN06-150	●	17	2	30	150	16			
MST017-02-SN06-150-C	●	17	2	30	150	16			
MST017-02-SN06-200-C	●	17	2	30	200	16			
MST018-02-SN06-150-C	●	18	2	30	150	16			
MST020-03-SN06-120-C	●	20	3	40	120	20			
MST021-03-SN06-160-C	●	21	3	30	160	20			
MST021-03-SN06-200-C	●	21	3	30	200	20			
MST022-03-SN06-160-C	●	22	3	30	160	20			
MST025-03-SN06-150-C	●	25	3	40	150	25			
MST025-03-SN06-200-C	●	25	3	60	200	25			
MST026-03-SN06-200-C	●	26	3	30	200	25			



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)			
MST025-02-6N06-150-C	○	25	2	50	150	25	6NGU0604...	M3X8	T10
MST032-03-6N06-150-C	○	32	3	50	150	32			

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MST032-03-3P15-150-C	●	32	3	30	150	25	3PKT1505...	M4,5X12	T20
MST032-03-3P15-200-C	●	32	3	60	200	32			



90°





Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSY010-02-LP01-100	●	10	2	20	100	10	LPGU0102..	M2X5	T06
MSY011-02-LP01-120	●	11	2	22	120	10			
MSY012-02-LP01-120	●	12	2	20	120	11			
MSY012-03-LP01-120	●	12	3	20	120	11			
MSY012-02-LP01-100	●	12	2	25	100	12			
MSY012-02-LP01-120	●	12	2	25	120	12			
MSY012-03-LP01-120	●	12	3	25	120	12			
MSY012-03-LP01-150	●	12	3	80	150	12			
MSY014-03-LP01-120	●	14	3	30	120	14			
MSY016-04-LP01-160	●	16	4	30	160	16			

● Stock item

○ Non Stock item

△ Special order

INDEXABLE ENDMILLS



10°



											
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	PabClamp	Screw	Torx Key
MSZ022-02-SD09-170-C	●	22	2	25	170	20	SDMT09T3...	M3,5X8	CK14	M3,5X10	T15
MSZ025-02-SD09-160-C	●	25	2	40	160	25					
MSZ025-03-SD09-160-C	●	25	3	50	160	25					
MSZ025-02-SD09-200-C	●	25	2	60	200	25					
MSZ025-03-SD09-200-C	●	25	3	60	200	25					
MSZ026-02-SD09-160-C	●	26	2	30	160	25					
MSZ026-03-SD09-160-C	●	26	3	30	160	25					
MSZ026-02-SD09-200-C	●	26	2	30	200	25					
MSZ032-03-SD09-150-C	●	32	3	50	150	32					
MSZ032-03-SD09-160-C	●	32	3	50	160	32					
MSZ032-03-SD09-200-C	●	32	3	60	200	32					
MSZ033-03-SD09-160-C	●	33	3	40	160	32					
MSZ033-03-SD09-200-C	●	33	3	30	200	32					
MSZ033-03-SD09-250-C	●	33	3	30	250	32					
MSZ035-04-SD09-160-C	●	35	4	30	160	32					
MSZ042-04-SD09-160-C	●	42	4	40	160	32					



90°




									
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE040-05-LN13-C	○	40	5	49	120	32	LNHU1306...	M4X11.5	T15

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE020-02-LN09-110	○	20	2	30	110	20	LNHU0904...	M3X8.3	T09
MSE020-03-LN09-110	○	20	3	30	110	20			
MSE021-02-LN09-200	○	21	2	30	200	20			
MSE025-03-LN09-200-C	○	25	3	34	200	25			
MSE025-04-LN09-200-C	○	25	4	34	200	25			
MSE026-03-LN09-200-C	○	26	3	34	200	25			
MSE028-03-LN09-110-C	○	28	3	34	110	25			
MSE032-04-LN09-250-C	○	32	4	45	250	32			
MSE032-05-LN09-250-C	○	32	5	45	250	32			
MSE033-04-LN09-250-C	○	33	4	45	250	32			



45°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key	Shim	Shim Screw	Shim Screw Wrench
MSE040-03-XN07-C	○	40	3	28.3	130	40	XNMU0705...	SM3.5X12	T15	S-XN07030	SM5X8.5	A3.5

● Stock item

○ Non Stock item

△ Special order


INDEXABLE ENDMILLS



15°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE025-02-SD09-200-C	●	25	2	48	200	25	SDMT0904...	M3.5X8.6	T10
MSE026-02-SD09-180-C	●	26	2	28	180	25			
MSE032-03-SD09-250-C	●	32	3	67	250	32			



15°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE025-02-SD09-96-C	●	25	2	37	96	25	SDMT0904...	M3.5X8.6	T10
MSE032-02-SD09-100-C	●	32	2	37	100	32			



15°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Screw	Torx Key
MSE032-02-SD15-250-C	●	32	2	70	250	32	SDMT1205...	M4X11.2	T15

● Stock item

○ Non Stock item


△ Special order

INDEXABLE ENDMILLS



		
Insert	Screw	Torx Key
RPHX10T3...	M3X7.2	T09

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSE015-03-RP10-225-C	●	15	3	56.2	225	25
MSE022-04-RP10-130-C	●	22	4	65	130	32



		
Insert	Screw	Torx Key
RPHX1204...	M4X8.5	T10

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSE032-03-RP12-120-C	○	32	3	33	120	32


Milling

● Stock item

○ Non Stock item


△ Special order

INDEXABLE ENDMILLS




90°



		
Insert	Screw	Torx Key
XEKT19...	SM4X10	T15

Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSK020-01-XE19-150-C	○	20	1	50	150	20
MSK025-02-XE19-150-C	○	25	2	50	150	25
MSK032-02-XE19-150-C	○	32	2	50	150	32
MSK040-03-XE19-150-C	○	40	3	60	150	32

Milling



14°



		
Insert	Screw	Torx Key
WNGX09T3..	SM3X8	T10


Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)
MSK025-02-WN09-150-C	●	25	2	70	150	25
MSK032-03-WN09-150-C	●	32	3	70	150	32

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCG040-05-AP10	●	40	5	45	16	APKT1003...	SM2,5X7	T08
MCG040-05-AP10-C	●	40	5	45	16			
MCG050-06-AP10	●	50	6	45	22			
MCG050-06-AP10-C	●	50	6	45	22			
MCG063-06-AP10	●	63	6	45	22			
MCG063-07-AP10	●	63	7	45	22			
MCG063-07-AP10-C	●	63	7	45	22			
MCG080-08-AP10	●	80	8	52	27			
MCG080-08-AP10-C	●	80	8	52	27			
MCG100-09-AP10	●	100	9	52	32			
MCG100-09-AP10-C	●	100	9	52	32			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCY040-06-LN03-C	●	40	6	40	17	LNGX0303...	SM3X7	T08
MCY050-06-LN03-C	●	50	6	50	22			
MCY050-07-LN03-C	●	50	7	50	22			
MCY052-06-LN03-C	●	52	6	50	22			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCG040-05-AP11	●	40	5	45	16	APKT1103...	SM2,5X7	T08
MCG050-06-AP11	●	50	6	50	22			
MCG063-07-AP11	●	63	7	50	22			
MCG040-04-AP16	●	40	4	45	16	APKT16T3...	SM4X12	T15
MCG050-05-AP16	●	50	5	45	22			
MCG063-05-AP16	●	63	5	45	22			
MCG080-07-AP16	●	80	7	52	27			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCK040-04-LN10-C	●	40	4	40	16	LNMX1006...	SM3X10	T10
MCK040-05-LN10-C	●	40	5	40	16			
MCK050-06-LN10-C	●	50	6	40	22			
MCK050-04-LN15-C	●	50	4	40	22	LNMX1510...	SM4X14	T15
MCK063-06-LN15-C	●	63	6	40	22			
MCK080-07-LN15-C	●	80	7	52	27			
MCK100-08-LN15-C	●	100	8	52	32			
MCK125-10-LN15	●	125	10	62	40			
MCK160-12-LN15	●	160	12	62	40			

● Stock item

○ Non Stock item

△ Special order

FACE MILLS



90°



																		
Order Code	Stock Availability	D(mm)		H(mm)	d (mm)	Insert	Screw	Pab Clamp	Screw	Torx Key								
MCG040-04-RD1003-C	●	40	4	40	16	RD..1003	SM3,5X10	CCK14M	SM3,5X8	T15								
MCG050-05-RD1003-C	●	50	5	46	22													
MCG063-06-RD1003-C	●	63	6	50	22													
MCG080-07-RD1003-C	●	80	7	52	27													
MCG100-08-RD1003-C	●	100	8	52	32													
MCG050-05-RD10T3-C	●	50	5	40	22	RD..10T3					SM3,5X10	CCK14M	SM3,5X8	T15				
MCG063-06-RD10T3-C	●	63	6	40	22													
MCG080-07-RD10T3-C	●	80	7	50	27													
MCG040-04-RD12T3-C	●	40	4	40	16	RD..12T3									SM3,5X10	CCK14M	SM3,5X8	T15
MCG050-05-RD12T3-C	●	50	5	46	22													
MCG052-05-RD12T3-C	●	52	5	46	22													
MCG063-06-RD12T3-C	●	63	6	50	22													
MCG080-07-RD12T3-C	●	80	7	52	27													
MCG100-08-RD12T3-C	●	100	8	52	32													
MCG125-09-RD12T3	●	125	9	62	40													
MCG160-10-RD12T3	●	160	10	62	40													
MCG160-10-RD12T3-C	●	160	10	62	40	RD..1604												
MCG050-04-RD1604-C	●	50	4	50	22													
MCG052-04-RD1604-C	●	52	4	50	22													
MCG063-04-RD1604-C	●	63	4	50	22													
MCG066-05-RD1604-C	●	66	5	50	27													
MCG080-05-RD1604-C	●	80	5	52	27													
MCG100-06-RD1604-C	●	100	6	52	32													
MCG125-07-RD1604	●	125	7	62	40													
MCG160-08-RD1604	●	160	8	62	40	RD..1604	SMSX12	CTP11M	SM4X11	T20								
MCG050-04-RD1604-C	●	50	4	50	22													
MCG052-04-RD1604-C	●	52	4	50	22													
MCG063-04-RD1604-C	●	63	4	50	22													
MCG066-05-RD1604-C	●	66	5	50	27													
MCG080-05-RD1604-C	●	80	5	52	27													
MCG100-06-RD1604-C	●	100	6	52	32													
MCG125-07-RD1604	●	125	7	62	40													
MCG160-08-RD1604	●	160	8	62	40													


Milling

● Stock item

○ Non Stock item

△ Special order

FACE MILLS




45°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)					
MCK050-05-SN12-45	●	50	5	40	22	SNMX1205 SNMX1206	SM4X11	CCK15M	M4X11	T15
MCK063-06-SN12-45	●	63	6	40	22					
MCK080-08-SN12-45	●	80	8	50	27					
MCK100-10-SN12-45	●	100	10	50	32					
MCK125-11-SN12-45	●	125	11	62	40					
MCK160-12-SN12-45	●	160	12	62	40					

Milling



88°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCK050-05-SN12-88-C	●	50	5	40	22	SNMX1206...	SM4,5X11	T20
MCK063-06-SN12-88-C	●	63	6	40	22			
MCK080-08-SN12-88-C	●	80	8	50	27			
MCK100-10-SN12-88-C	●	100	10	50	32			
MCK125-11-SN12-88	●	125	11	62	40			
MCK160-12-SN12-88	●	160	12	62	50			
MCK200-14-SN12-88	●	200	14	62	60			


* Use SM4x12x6 screws for SNMX1205 inserts.

● Stock item

○ Non Stock item

△ Special order


FACE MILLS




90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCG050-03-TP16	●	50	3	41	22	TPKN16...	SM6X0,75	A4
MCG063-04-TP16	●	63	4	48	22			
MCG080-05-TP16	●	80	5	52	32			
MCG100-06-TP16	●	100	6	52	32			
MCG063-03-TP22	●	63	3	48	22	TPKN22...	SM8X1	A5
MCG080-04-TP22	●	80	4	52	32			
MCG100-05-TP22	●	100	5	52	32			
MCG125-06-TP22	●	125	6	62	40			
MCG160-07-TP22	●	160	7	62	40			
MCG200-08-TP22	●	200	8	62	60			
MCG250-10-TP22	●	250	10	62	60			




14°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCK040-04-WN09-C	●	40	4	40	16	WNGX09T3...	SM3X10	T10
MCK050-04-WN09-C	●	50	4	40	22			
MCK052-04-WN09-C	●	52	4	40	22			
MCK052-05-WN09-C	●	52	5	40	22			
MCK052-06-WN09-C	●	52	6	40	22			
MCK063-05-WN09-C	●	63	5	40	22			
MCK066-06-WN09-C	●	66	6	50	22			
MCK066-06-WN09-C	●	66	6	50	27			

FACE MILLS




90°



Insert	Screw	Torx Key
WNMU0806...	SM5X12	T20

Order Code	Stock Availability	D (mm)		H (mm)	d (mm)
MCY050-04-WN08-C	●	50	4	40	22
MCY052-04-WN08-C	●	52	4	40	22
MCY063-05-WN08-C	●	63	5	40	22
MCY080-06-WN08-C	●	80	6	45	27
MCY100-07-WN08-C	●	100	7	50	32
MCY125-08-WN08	●	125	8	50	40
MCY160-10-WN08	●	160	10	62	40
MCY200-12-WN08	●	200	12	62	50



45°



Insert	Screw	Torx Key
XNMU0705...	SM4X10	T15


Order Code	Stock Availability	D (mm)		H (mm)	d (mm)
MCA050-04-XN07	●	50	4	40	22
MCA063-05-XN07	●	63	5	40	22
MCA080-06-XN07	●	80	6	50	27
MCA100-07-XN07	●	100	7	50	32
MCA125-08-XN07	●	125	8	55	40
MCA160-10-XN07	●	160	10	55	40

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCT050-04-3P15-C	●	50	4	40	22	3PKT1004...	M4,5X12	T20
MCT063-05-3P15-C	●	63	5	40	22			
MCT080-07-3P15-C	●	80	7	50	27			
MCT100-08-3P15-C	●	100	8	50	32			
MCT040-04-3P10-C	●	40	4	40	16	3PKT1505...	M3X8	T10
MCT050-05-3P10-C	●	50	5	40	22			
MCT063-08-3P10-C	●	63	8	40	22			



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCT040-04-6N06-C	●	40	4	40	16	6NGU0604...	M3X8	T10
MCT050-05-6N06-C	●	50	5	40	22			
MCT063-06-6N06-C	●	63	6	40	22			
MCT050-05-6N09-C	●	50	5	40	22	6NGU0905...	M4X11	T15
MCT063-06-6N09-C	●	63	6	40	22			
MCT080-07-6N09-C	●	80	7	50	27			
MCT100-08-6N09-C	●	100	8	50	32			
MCT125-10-6N09	●	125	10	62	40			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



90°



		
Insert	Screw	Torx Key
R39011T3...	M2,5X7	T08



10°





										
Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Clamp	Screw	Torx Key
MCZ040-04-SD09-C	●	40	4	40	16	SDMT09T3...	M3,5X11	CCK14M	M3,5X11	T15
MCZ050-04-SD09-C	●	50	4	40	22					
MCZ050-05-SD09-C	●	50	5	40	22					
MCZ052-05-SD09-C	●	52	5	40	22					
MCZ052-06-SD09-C	●	52	6	40	22					
MCZ060-06-SD09-C	●	60	6	40	22					
MCZ063-06-SD09-C	●	63	6	40	22					
MCZ080-07-SD09-C	●	80	7	50	27					
MCZ100-08-SD09-C	●	100	8	50	32					

● Stock item

○ Non Stock item


△ Special order

FACE MILLS



90°


Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCW050-04-SP12-C	●	50	4	45	22	SPMT1204...	M4,5X12	T20
MCW063-05-SP12-C	●	63	5	50	22			



75°

Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCG063-05-SP12	●	63	5	40	22	SPKN1203...	M8X1 L	A6
MCG080-06-SP12	●	80	6	50	27			
MCG100-08-SP12	●	100	8	50	32			
MCG125-10-SP12	●	125	10	62	40			
MCG160-12-SP12	●	160	12	62	40			
MCG200-12-SP12	●	200	12	62	60			

FACE MILLS



45°



		
Insert	Screw	Torx Key

MCZ050-04-ON08-C	●	50	4	50	22	ONHU08T6...	M4,5X15	T20
MCZ080-06-ON08-C	●	80	6	50	27			
MCZ100-07-ON08-C	●	100	7	50	32			
MCZ125-08-ON08	●	125	8	62	40			
MCZ160-10-ON08	●	160	10	62	40			


Order Code	Stock Availability	D (mm)		H (mm)	d (mm)
MCZ050-04-ON08-C	●	50	4	50	22
MCZ080-06-ON08-C	●	80	6	50	27
MCZ100-07-ON08-C	●	100	7	50	32
MCZ125-08-ON08	●	125	8	62	40
MCZ160-10-ON08	●	160	10	62	40

● Stock item

○ Non Stock item

△ Special order

FACE MILLS




40°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE050-04-0 D06-C	○	50	4	40	16	ODMT0605...	M4.5X12 A43	T20
MCE063-05-0 D06-C	○	63	5	40	22			
MCE080-05-0 D06-C	○	80	5	50	27			
MCE080-06-0 D06-C	○	80	6	50	27			
MCE100-06-0 D06-C	○	100	6	50	32			
MCE100-07-0 D06-C	○	100	7	50	32			
MCE125-07-0 D06-C	○	125	7	63	40			
MCE125-08-0 D06-C	○	125	8	63	40			
MCE160-10-0 D06	○	160	10	63	40			

Milling



90°




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE050-05-AP17-C	○	50	5	40	22	APKT1705...	SM4X10	T15
MCE063-06-AP17-C	●	63	6	40	22			
MCE080-06-AP17-C	●	80	6	50	27			
MCE100-08-AP17-C	○	100	8	50	32			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



45°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key	Shim	Shim Screw	Shim Screw Wrench
MCE040-03-XN07-C	○	40	3	40	6	XN0705...	M3.5X12	T15	S-XN07030	SS0585F	A3.5
MCE050-04-XN07-C	○	50	4	40	22						
MCE050-05-XN07-C	○	50	5	40	22						
MCE063-05-XN07-C	●	63	5	40	22						
MCE063-06-XN07-C	●	63	6	40	22						
MCE080-06-XN07-C	●	80	6	50	27						
MCE080-07-XN07-C	●	80	7	50	27						
MCE100-07-XN07-C	●	100	7	50	32						
MCE100-08-XN07-C	●	100	8	50	32						
MCE125-08-XN07-C	●	125	8	63	40						
MCE125-10-XN07-C	○	125	10	63	40						
MCE160-09-XN07	○	160	9	63	40						
MCE160-12-XN07	○	160	12	63	40						
MCE200-14-XN07	○	200	14	63	60						





45°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key	Shim	Shim Screw	Shim Screw
MCE063-05-XN09-C	○	63	5	40	22	XN0906...	M5X13	T20	S-XN09040	SS0810F	A5
MCE080-06-XN09-C	○	80	6	50	27						
MCE100-07-XN09-C	○	100	7	50	32						
MCE100-08-XN09-C	○	100	8	50	32						
MCE125-08-XN09-C	○	125	8	63	40						
MCE125-10-XN09-C	○	125	10	63	40						
MCE160-09-XN09	○	160	9	63	40						
MCE160-11-XN09	○	160	11	63	40						
MCE200-12-XN09	○	200	12	63	60						
MCE250-12-XN09	△	250	12	63	60						
MCE315-14-XN09	△	315	14	63	60						



FACE MILLS



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE040-04-LN09-C	○	40	4	40	16	LNHU0904...	SM3X8.3	T09
MCE040-06-LN09-C	○	40	6	40	16			
MCE050-05-LN09-C	○	50	5	40	22			
MCE050-07-LN09-C	○	50	7	40	22			
MCE063-07-LN09-C	○	63	7	40	22			
MCE063-10-LN09-C	○	63	10	40	22			
MCE080-09-LN09-C	○	80	9	50	27			
MCE080-13-LN09-C	○	80	13	50	27			



90°





Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE063-04-LN16-C	○	63	4	40	22	LNHU1607...	M5X13 A63	T20
MCE080-05-LN16-C	○	80	5	50	27			
MCE100-06-LN16-C	○	100	6	50	32			
MCE125-07-LN16-C	○	125	7	63	40			
MCE160-08-LN16-C	○	160	8	63	40			

● Stock item

○ Non Stock item

△ Special order

FACE MILLS



90°





Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE040-04-LN13-C	○	40	4	40	16	LNHU1306...	SM4X11.2	T15
MCE040-05-LN13-C	○	40	5	40	16			
MCE050-05-LN13-C	○	50	5	40	22			
MCE050-06-LN13-C	○	50	6	40	22			
MCE063-04-LN13-C	○	63	4	40	22			
MCE063-06-LN13-C	○	63	6	40	22			
MCE063-08-LN13-C	○	63	8	40	22			
MCE080-05-LN13-C	○	80	5	50	27			
MCE080-07-LN13-C	○	80	7	50	27			
MCE080-10-LN13-C	○	80	10	50	27			
MCE100-07-LN13-C	○	100	7	50	32			
MCE100-09-LN13-C	○	100	9	50	32			
MCE100-13-LN13-C	○	100	13	50	32			
MCE125-09-LN13-C	○	125	9	63	40			
MCE125-11-LN13-C	○	125	11	63	40			
MCE125-16-LN13-C	○	125	16	63	40			
MCE160-09-LN13	○	160	9	63	40			
MCE160-13-LN13	○	160	13	63	40			
MCE200-12-LN13	○	200	12	63	60			
MCE250-12-LN13	○	250	12	63	60			

● Stock item

○ Non Stock item

△ Special order


FACE MILLS



15°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE040-03-SD09-C	○	40	3	32	16	SDMT0904...	M3.5X8.6	T10
MCE040-04-SD09-C	●	40	4	32	16			
MCE040-05-SD09-C	○	40	5	32	16			
MCE050-05-SD09-C	●	50	5	40	22			
MCE050-06-SD09-C	○	50	6	40	22			





15°





Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Insert	Screw	Torx Key
MCE052-03-SD12-C	○	52	3	40	22	SDMT1205...	M4X11.2	DT-TP10
MCE052-04-SD12-C	●	52	4	40	22			
MCE052-05-SD12-C	○	52	5	40	22			
MCE063-04-SD12-C	●	63	4	40	22			
MCE063-05-SD12-C	○	63	5	40	22			
MCE066-04-SD12-C	○	66	4	45	27			
MCE066-05-SD12-C	○	66	5	45	27			
MCE080-05-SD12-C	●	80	5	50	27			
MCE080-08-SD12-C	●	80	8	50	27			
MCE100-06-SD12-C	●	100	6	50	32			
MCE100-09-SD12-C	○	100	9	50	32			
MCE125-08-SD12-C	○	125	8	63	40			
MCE125-11-SD12-C	○	125	11	63	40			

Milling

FACE MILLS





Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCE030-05-RP10-C	●	30	5	40	16	RPHX10T3...	M3X7.2	T09
MCE040-06-RP10-C	●	40	6	40	22		M3X7.2	T09




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCE040-04-RP12-C	○	40	4	40	16	RPHX1204...	M4X8.5	T10
MCE050-05-RP12-C	●	50	5	40	22			
MCE063-06-RP12-C	●	63	6	40	22			
MCE080-07-RP12-C	○	80	7	50	27			

FACE MILLS



		
Insert	Screw	Torx Key
RPHX1605...	M5X12	T20



Milling

45°




		
Insert	Screw	Torx Key
HNGX0906...	M4.5X12	T15

● Stock item


○ Non Stock item

△ Special order

FACE MILLS




Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	a	b	APMX			
MCK040-03-XE19-C	○	40	3	45	34	8.8	6	17	XEKT19...	SM4X10	T15
MCK050-04-XE19-C	○	50	4	50	42	9.6	6.3	17			
MCK063-04-XE19-C	○	63	4	50	48	10.3	6.3	17			
MCK080-05-XE19-C	○	80	5	50	57	12.3	7.3	17			
MCK100-06-XE19-C	○	100	6	52	70	12.3	8.3	17			
MCK125-07-XE19-C	○	125	7	54	87	16.3	9.3	17			



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)			
MCZ063-05-ON06	●	63	5	40	22	ONHU0604...	M5X12	T20
MCZ080-07-ON06	●	80	7	50	27			
MCZ100-08-ON06	●	100	8	52	32			
MCZ125-09-ON06	●	125	9	62	40			

FACE MILLS



44°





Insert	Screw	Torx Key
ONMU0505..	M4.5X12	T20

Order Code	Stock Availability	D (mm)		H (mm)	d (mm)
MCI040-03-ON5-C	●	40	3	40	16
MCI050-04-ON5-C	●	50	4	40	22
MCI063-06-ON5-C	●	63	6	45	22
MCI080-07-ON5-C	●	80	7	52	27
MCI100-08-ON5-C	●	100	8	52	32
MCI125-09-ON5	●	125	9	62	40

Milling

HELICAL MILLING CUTTERS



90°



Insert	Screw	Torx Key	Installation Wrench
LNHU0904..	M3X8.3	T09	A15/24


Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Row	Total Insert
MCE040-03/12-LN09-C	○	40	3	55	16	4	12
MCE040-03/15-LN09-C	○	40	3	65	16	5	15
MCE050-03/24-LN09-C	○	50	3	75	22	6	24

● Stock item

○ Non Stock item

△ Special order



HELICAL MILLING CUTTERS



90°





Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Insert	Row	Total Insert	APMX	Screw	Torx Key	Installation Wrench
MSE025-02/08-LN09-100-C	○	25	2	43	100	25	LNHU0904..	4	8	31	M3X8.3	T09	A15/24
MSE032-02/08-LN09-105-C	○	32	2	44	105	32			5	10			
MSE032-02/10-LN09-110-C	○	32	2	50	110	32		15					
MSE040-03/15-LN09-125-C	○	40	3	55	125	40		6	18	46			
MSE040-03/18-LN09-130-C	○	40	3	59	130	40							



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M	Row	Total Insert	APMX	Insert	Screw	Torx Key	Installation Wrench
MTE025-02/06-LN09-C	○	25	2	40	64	12.5	M12	3	6	23	LNHU0904..	M3X8.3	T09	A15/24
MTE032-02/06-LN09-C	○	32	2	40	67	17	M16	3	6	23				
MTE032-02/08-LN09-C	○	32	2	50	77	17	M16	4	8	31				



90°



Order Code	Stock Availability	D (mm)		H (mm)	d (mm)	Row	Total Insert	APMX	Insert	Screw	Torx Key	Clamping Screw
MCE040-02/06-LN13-C	○	40	2	55	16	3	6	34	LNHU1306..	M4X11.5	T15	M8X40
MCE040-02/08-LN13-C	○	40	2	65	16	4	8	45				M8X4.5
MCE050-03/09-LN13-C	○	50	3	55	22	3	9	34				M10X40
MCE050-03/12-LN13-C	○	50	3	65	22	4	12	45				M10X50
MCE063-04/20-LN13-C	○	63	4	80	27	5	20	56				M12X60
MCE063-04/16-LN13-C	○	63	4	70	27	4	16	45				M12X50
MCE080-05/25-LN13-C	○	80	5	85	32	5	25	56				M16X65




● Stock item

○ Non Stock item

△ Special order



HELICAL MILLING CUTTERS



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	Row	Total Insert	APMX	Insert	Screw	Torx Key
MSE040-02/06-LN13-120-C	○	40	2	54	120	40	3	6	34	LNHU1306..	M4X11.5	T15
MSE040-02/08-LN13-135-C	○	40	2	64	135	40	4	8	45			



90°



Order Code	Stock Availability	D (mm)		L (mm)	L1 (mm)	d (mm)	Insert	Screw	Torx Key
MSG020-06-AP10-110-C	●	20	6	110	27	20	AP1003..	M2,5X7	T08
MSG025-08-AP10-120-C	●	25	8	120	36	25			
MSG032-15-AP10-120-C	●	32	15	120	45	32			
MSG040-18-AP10-130-C	●	40	18	130	54	32			



90°



Order Code	Stock Availability	D (mm)		H	d	Insert	Screw	Torx Key
MCG050-12-AP16	●	50	12	42	22	AP1604	M3,5X8	T15
MCG063-16-AP16	●	63	16	56	22			
MCG080-25-AP16	●	80	25	70	27			

● Stock item

○ Non Stock item

△ Special order


HELICAL MILLING CUTTERS

*The recommended cutting conditions always refer to general conditions. These cutting conditions should be adjusted according to the practical machine rigidity, tools, workpiece clamping and coolant. Average chip thickness (hm)=fz x sinkr.

Materials				Cutting depth and feed					
ISO	Material classification	Tensile strength (N/mm ²)	Hardness (HB)	LNHU 0904..					
				ap		Chipbreaker			
						M4		R2	
						fz (mm)		fz (mm)	
				min	max	min	max	min	max
	Unalloyed steel	<600	<180	3.00	46.00	0.08	0.25	-	-
		<950	<280						
	Alloyed steel	700-950	200-280			0.06	0.20	-	-
		950-1200	280-355						
		1200-1400	355-415						
	Duplex stainless steel	778	230			0.06	0.20	-	-
	Austenitic stainless steel	675	200						
	Precipitation-hardening stainless steel	1013	300						
	Grey cast iron	700	220			0.08	0.28	-	-
	Nodular cast iron	880	260						
	Malleable cast iron	800	250						
	Aluminum	260	75			-	-	0.06	0.25
	Aluminum alloy	447	130						
	Fe-based alloy	943	280						
	Co-based alloy	1076	320			0.08	0.15	-	-
	Ni-based alloy	1177	350						
	Ti-alloy	1262	370						
	Hardened steel	-	50-60HRC			-	-	-	-
	Chilled cast iron	-	55HRC						

Materials				Cutting depth and feed					
ISO	Material classification	Tensile strength (N/mm ²)	Hardness (HB)	LNHU 1306					
				ap		Chipbreaker			
						M4		R2	
						fz (mm)		fz (mm)	
				min	max	min	max	min	max
	Unalloyed steel	<600	<180	3.00	46.00	0.08	0.25	0.08	0.28
		<950	<280						
	Alloyed steel	700-950	200-280			0.06	0.20	0.06	0.22
		950-1200	280-355						
		1200-1400	355-415						
	Duplex stainless steel	778	230			0.06	0.20	0.06	0.22
	Austenitic stainless steel	675	200						
	Precipitation-hardening stainless steel	1013	300						
	Grey cast iron	700	220			0.08	0.28	0.08	0.30
	Nodular cast iron	880	260						
	Malleable cast iron	800	250						
	Aluminum	260	75			-	-	-	-
	Aluminum alloy	447	130						
	Fe-based alloy	943	280						
	Co-based alloy	1076	320			0.08	0.15	-	-
	Ni-based alloy	1177	350						
	Ti-alloy	1262	370						
	Hardened steel	-	50-60HRC			-	-	-	-
	Chilled cast iron	-	55HRC						


SCREW TYPE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)			
MTY020-03-LN03-M10-C	●	20	3	36	60	10,5	M10	LNGX0303...	SM3X8	T08
MTY025-04-LN03-M12-C	●	25	4	36	60	12,5	M12			
MTY032-05-LN03-M16-C	●	32	5	38	62	17	M16			
MTY035-05-LN03-M16-C	●	35	5	38	62	17	M16			
MTY040-06-LN03-M16-C	●	40	6	40	65	17	M16			
MTY042-06-LN03-M16-C	●	42	6	40	65	17	M16			



14°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)			
MTK025-02-WN09-M12-C	●	25	2	28	50	12,5	M12	WNGX09T3...	SM3X10	T10
MTK032-03-WN09-M16-C	●	32	3	38	60	17	M16			
MTK035-04-WN09-M16-C	●	35	4	38	60	17	M16			
MTK040-04-WN09-M16-C	●	40	4	38	60	17	M16			
MTK042-04-WN09-M16-C	●	42	4	36	60	17	M16			

● Stock item

○ Non Stock item

△ Special order

SCREW TYPE ENDMILLS




14°



										
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTK016-02-WN06-M08	●	16	2	25	42	8,5	M8	WNGX0603...	SM2,5X8	T08
MTK020-03-WN06-M10	●	20	3	35	60	10,5	M10			
MTK025-03-WN06-M12	●	25	3	35	60	12,5	M12			
MTK025-04-WN06-M12	●	25	4	35	60	12,5	M12			
MTK032-05-WN06-M16	●	32	5	35	60	17	M16			
MTK035-05-WN06-M16	●	35	5	35	60	17	M16			

Milling



90°




											
Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	APMX	Insert	Screw	Torx Key
MTK025-02-XE19-M12-C	○	25	2	22	68	23	M12	17	XEKT19...	SM4X10	T15
MTK032-02-XE19-M16-C	○	32	2	23	70	31	M16	17			
MTK040-03-XE19-M16-C	○	40	3	23	72	32	M16	17			

● Stock item

○ Non Stock item

△ Special order


SCREW TYPE ENDMILLS



90°



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTG016-02-AP10-M08-C	●	16	2	33	50	8,5	M08	APKT1003...	M2,5X7	T06
MTG020-03-AP10-M10-C	●	20	3	32	51	10,5	M10			
MTG025-03-AP10-M12-C	●	25	3	38	60	12,5	M12			
MTG032-04-AP10-M16-C	●	32	4	36	60	17	M16			
MTG035-04-AP10-M16-C	●	35	4	36	60	17	M16			
MTG040-05-AP10-M16-C	●	40	5	36	60	17	M16	APKT1604...	M3,5X8	T15
MTG025-02-AP16-M12-C	●	25	2	38	60	12,5	M12			
MTG032-03-AP16-M16-C	●	32	3	44	68	17	M16			
MTG040-04-AP16-M16	●	40	4	44	68	17	M16			



90°




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTT032-04-3PKT10-M16	●	32	4	36	60	17	M16	3PKT1004...	M3X8	T10
MTT042-04-3PKT10-M16	●	42	4	36	60	17	M16			

● Stock item

○ Non Stock item

△ Special order


SCREW TYPE ENDMILLS



90°



		
Insert	Screw	Torx Key
SNKT0603...	M3X8	T10




10°




										
Order Code	Stock Availability	D (mm)		L1 (mm)	L(mm)	d(mm)	M(mm)	Insert	Screw	Torx Key
MTZ025-02-SD09-M12-C	●	25	2	28	50	12,5	M12	SDMT09T3...	M3,5X8	T15
MTZ025-03-SD09-M12-C	●	25	3	28	50	12,5	M12			
MTZ032-03-SD09-M16-C	●	32	3	36	60	17	M16			
MTZ035-04-SD09-M16-C	●	35	4	36	60	17	M16			
MTZ040-04-SD09-M16-C	●	40	4	36	60	17	M16			
MTZ042-04-SD09-M16-C	●	42	4	36	60	17	M16			

SCREW TYPE ENDMILLS




Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTE015-03-RP10-M12-C	○	15	3	35	57	12.5	M12	RPHX10T3...	M3X7.2	T09
MTE022-04-RP10-M16-C	○	22	4	43	67	17	M16			



Order Code	Stock Availability	D (mm)		L1 (mm)	L (mm)	d (mm)	M (mm)	Insert	Screw	Torx Key
MTE040-04-RP12-M16-C	○	40	4	43	67	17	M16	RPHX1204...	M4X8.5	T10

Screw-on Arbor



Order Code	Stock Availability	D (mm)	d (mm)	M (mm)	L (mm)	I (mm)
ET D15 C16 M08 L120-H	●	15	16	8	120	40
ET D18 C20 M10 L120-H	●	18	20	10	120	60
ET D18 C20 M10 L170-H	●	18	20	10	170	90
ET D24 C25 M12 L160-H	●	24	25	12	160	80
ET D24 C25 M12 L200-H	●	24	25	12	200	100
ET D24 C25 M12 L250-H	●	24	25	12	250	150
ET D31 C32 M16 L160-H	●	31	32	16	160	80
ET D31 C32 M16 L200-H	●	31	32	16	200	100
ET D31 C32 M16 L250-H	●	31	32	16	250	150

● Stock item

○ Non Stock item

△ Special order

Engineered for Excellence.

#EuroloyExcellence



Italy Office



Via Leonardo Da Vinci, 4 – 20054
Milano MI ITALIA



(+39) 0282398309



info@euroloy.com

Turkey Office



Üsküdar Cad. YEDPA No:1
Ataşehir -İstanbul -TÜRKİYE



(+90) 850 933 3408



euroloytr@euroloy.com



euroloytools



Euroloy Cutting Tools